

FOR OFFICIAL USE ONLY
DECK LOG-TITLE PAGE
NAVPERS 716 (Rev. 4-56)



DECK LOG BOOK

OF THE

U.S.S. ABNAKI

ATF-96

IDENTIFICATION NUMBER

COMMANDED BY

LT. C.C. Reed

, U.S.N.

Attached to

Division,

SERVICE GROUP PEARL

Squadron,

Flotilla,

SERVICE FORCE, U.S. PACIFIC

Fleet,

FOURTEENTH

Naval District,

Commencing + 10 1 December, 19⁶³,
(zone time and date)

at Pearl Harbor, Hawaii,
(location)

and ending + 10 31 December, 19⁶³,
(zone time and date)

at Pearl Harbor, Hawaii,
(location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
EX-100 (Rev. 1-55)
NAVPERS 1000-100-100



DECK LOG BOOK

OF THE

U.S.S.

COMMANDER BY

U.S.N.

Division

Squadron

Flotilla

Fleet

Naval District

Attached to

Commanded by

and ending

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP _____

(Day)

(Date)

(Month)

19

APPROVED:

EXAMINED:

U.S.N. COMMANDING

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-MI

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF 96 ZONE DESCRIPTION +10W DATE SUNDAY 1 DECEMBER, 19 63
(Day) (Date) (Month)

AT/PASSAGE FROM Pearl Harbor, Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	020	1	10	SCT	3000	71	66	1	2000	CU			
02	020	1	10	SCT	3000	71	66	1	2000	CU			
03	020	1	10	SCT	3000	71	66	1	2000	CU			
04	010	1	10	SCT	3000	69	65	1	2000	CU			
05	010	2	10	CLR	3000	69	65	—	—	—			
06	010	1	10	CLR	3000	69	65	—	—	—			
07	010	1	10	SCT	3000	68	65	1	2000	CU			
08	050	2	10	SCT	3000	73	71	2	2000	CU			
09	050	1	10	SCT	3000	73	71	2	2000	CU			
10	060	1	10	SCT	3000	75	72	2	2000	CU			
11	065	3	10	SCT	3000	75	73	2	2000	CU			
12	080	2	10	SCT	3000	77	74	3	2000	CU			
13	100	2	10	SCT	3000	80	75	3	2000	CU			
14	140	2	10	SCT	3000	85	77	3	2000	CU			
15	140	2	10	SCT	3000	83	77	4	2000	CU			
16	150	2	10	SCT	3003	80	75	5	2000	CU			
17	140	1	10	BKN	3003	80	75	7	2000	CU			
18	060	1	10	BKN	3003	80	75	8	2000	CU			
19	100	1	10	CLR	3004	79	74	—	—	—			
20	100	2	10	CLR	3004	77	73	—	—	—			
21	100	4	10	CLR	3002	76	72	—	—	—			
22	100	2	10	CLR	3002	76	72	—	—	—			
23	100	2	10	CLR	3002	76	72	—	—	—			
24	150	1	10	CLR	3002	75	72	—	—	—			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
210

REMARKS

00-04 MOORED STARBOARD SIDE TO IN BERTH ALFA SIX (A-6) - US NAVAL BASE, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. MATERIAL CONDITION YOKE MODIFIED SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, DISTRICT AND YARD CRAFT. SOPA IS CINCPAC.

C. P. McKenzie, En, USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATIONS. ABSENTEES: NONE.

C. P. McKenzie, En, USNR

APPROVED:

C. P. McKenzie, En, USNR

U.S.N. COMMANDING

EXAMINED:

D. P. Hansen, Ltjg

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 SUNDAY 1 DECEMBER 1963
(Day) (Date) (Month)

08-12 MOORED AS BEFORE. 1105 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

JE Horton
 LTJG USN

12-16 MOORED AS BEFORE.

JE Horton
 LTJG USN

16-26 MOORED AS BEFORE. 1800 SET MODIFIED MATERIAL CONDITION YOKE.

JE Horton
 LTJG USN

20-24 MOORED AS BEFORE

JE Horton
 LTJG USN.

APPROVED:

CC Breed Lt.

U.S.N. COMMANDING

EXAMINED:

DD Rasmussen

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
 NAVY-DPPO-12ND-M1

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE MONDAY 2 DECEMBER 19 63
(Day) (Date) (Month)
AT/PASSAGE FROM PEARL HARBOR, HAWAII TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	195	1	10	CLR	3002	73	71	—	—	—			
02	215	1	10	CLR	3002	71	70	—	—	—			
03	270	1	10	CLR	3002	69	68	—	—	—			
04	260	1	10	SET	3001	79	68	3	2000	CU			
05	265	1	10	SET	3000	70	68	3	2000	CU			
06	265	1	10	SET	3001	70	68	3	2000	CU			
07	265	1	10	SET	3001	71	69	3	2000	CU			
08	250	1	10	SET	3000	73	69	3	2000	CU			
09	240	2	10	SET	3000	75	70	3	2000	CU	80	200	1
10	220	2	10	SET	3001	80	71	4	2000	CU	80	200	1
11	200	1	10	SET	3001	81	73	4	2000	CU	80	200	1
12	180	1	10	SET	3003	82	74	3	2000	CU	80	200	1
13	170	1	10	SET	3005	82	76	3	2000	CU	80	200	1
14	160	3	10	SET	3005	83	76	3	2000	CU	80	200	1
15	150	3	10	SET	3005	83	76	3	2000	CU	80	200	1
16	140	5	10	SET	3005	82	76	3	2000	CU	80	200	1
17	120	7	10	SET	3004	80	75	3	2000	CU	80	200	1
18	100	7	10	SET	3003	77	75	4	2000	CU	80	200	1
19	080	8	10	SET	3002	76	73	4	2000	CU			
20	070	5	10	SET	3002	75	71	4	2000	CU			
21	050	5	10	SET	3002	74	70	4	2000	CU			
22	050	5	10	SET	3003	74	70	3	2000	CU			
23	050	5	10	SET	3003	73	69	3	2000	CU			
24	050	5	10	SET	3003	73	69	3	2000	CU			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L <u>20-54.7N</u>	BY <u>3</u>	
λ <u>157-49.8W</u>	BY <u>3</u>	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
<u>90</u>

FUEL CONSUMED 0000-2400
<u>540</u>

REMARKS

00-04 MOORED STARBOARD SIDE TO IN BERTH ALFA-SIX U.S. NAVAL STATION, PEARL HARBOR, HAWAII, WITH STANDARD MOORING LINES, MODIFIED MATERIAL CONDITION YOKE SET. RECEIVING FRESH WATER AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. PACIFIC FLEET, YARD, AND DISTRICT CRAFT. SOPA IS CINC PAC FLT.

LE Hooten
LTJG USN

04-08 MOORED AS BEFORE. 0730 MUSTERED CREW ON STATIONS: ABSENTEES: NONE 0740 SET SPECIAL SEA AND ANCHOR DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE. OOD HAS THE CONN. DRAFT: FWD 14'3" AFT 15'8" 0754 A/B 30 RPM - UNDERWAY FROM BERTH ALFA-SIX U.S. NAVAL STATION, PEARL HARBOR, HAWAII.

APPROVED:

EXAMINED:

CC Reed Lt.

U.S.N. COMMANDING

RS Mason, Styg

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABUAKI (ATF-96)MONDAY 2 ^{DECEMBER} ~~NOVEMBER~~ 1963 ^{AM}

04-08 (CONT) TO LOCAL OP-AREA IN ACCORDANCE WITH COMNAVTRAGRU OP-ORD 49-63 WITH SERIES 40 SPEED 590 IN TOW. MANEUVERING VARIOUS COURSES AND SPEEDS TO CHECK BERTH AND HEAD FAIR IN CHANNEL.

JE Houten
LTJG USN

08-12 UNDERWAY AS BEFORE. 0802 STREAMED TARGET. 0808 HEADED FAIR IN CHANNEL ON COURSE 158° SPEED 6.7 KTS. JERRED SPEED TO 15 FT. PASSED BUOY SIX AHEAD TO PORT APPROX 150' FT. COMMENCED MANEUVERING ON VARIOUS COURSES TO CONFORM WITH PEARL HARBOR CHANNEL. 0820 PASSED BUOY ONE AHEAD TO TO STOP, 200 FT. COURSE 155° SPEED 9 KTS. 0829 1/5 TO 9.5 KTS 0832 1/5 TO 6.7 KTS. 0833 1/5 TO 16Z. ENTERED INTERNATIONAL WATERS. 1037 1/5 TO 9.5 KTS 1037 1/5 TO 6.7 KTS. 1106 1/5 TO 3.3 KTS. 1130 1/5 TO 6.7 KTS 1/5 180° 1145 1/5 TO 9.5 KTS.

JE Houten
LTJG USN.

12-16 UNDERWAY AS BEFORE. 1222 STATIONED THE RARE DETAIL. 1233 1/5 TO 6.7 KTS. 1237 COMMENCED ASSISTING USS PLANETREE WITH Z-21-G. MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS. 1259 COMMENCED Z-27-G WITH USS PLANETREE. 1300 COMMENCED SECURED FROM Z-27-G WITH USS PLANETREE. 1340 COMMENCED Z-25-G WITH USS PLANETREE MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS. 1504 SECURED FROM Z-25-G. 1505 1/5 12.3 KTS. 1547 1/5 330° 1508 1/5 300° 1533 1/5 13.3 KTS.

C.P. McKenney, EM, USNR

16-20 Underway as before. 1627 1/5 to 340° 1723 1/5 to 345° 1743 1/5 to 380° 1832 Make preparations to enter port. Set the Special Sea and Anchor detail. Captain and navigator are on the bridge. OOD has the Comm. 13'4" forward 16'3" aft. 1833 1/5 to 337° 1838 1/5 to 12.3 KTS entered inland waters. 1848 passed sea buoy #2 abeam to starboard. maneuvering various courses at various speed to moor at Alfa Six. 1914 Moored starboard side to berth Alfa-Six to US Naval Base Pearl Harbor Hawaii.

Stig Nason
Stig Nason, Stig, USNR

20-24 Moored AS before

Stig Nason
Stig Nason, Stig, USNR

APPROVED:

EXAMINED:

CC Reed Lt.

U.S.N. COMMANDING

Stig Nason, Stig

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-M1

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10W DATE Tuesday 3 December 19 62 2nd
AT/PASSAGE FROM Pearl Harbor, Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	050	5	10	Set	3003	73	69	3	2000	CU	-	-	-
02	060	4	10	Set	3003	73	69	3	2000	CU	-	-	-
03	080	4	10	Set	3002	72	70	3	2000	CU	-	-	-
04	090	3	8	Set	3001	72	70	3	2000	CU	-	-	-
05	090	3	10	Set	3004	70	69	3	2000	CU	-	-	-
06	070	4	10	Set	3006	73	70	3	2000	CU	-	-	-
07	060	6	10	Set	3007	77	73	3	2000	CU	-	-	-
08	050	7	10	Set	3009	80	75	2	2000	CU	80	050	1
09	050	7	10	Set	3010	84	75	2	2000	CU	80	050	1
10	050	7	10	Set	3010	84	75	2	2000	CU	80	050	1
11	050	5	10	BKN	3009	84	75	7	2000	CU	80	050	1
12	010	4	10	BKN	3006	81	76	7	1700	CU/ST	80	040	1
13	030	3	10	BKN	3004	82	77	7	1700	ST	80	040	1
14	030	3	10	BKN	3002	82	77	7	1700	ST	80	040	1
15	050	5	10	Set	3002	83	78	5	2000	CU	80	050	1
16	060	7	10	Set	3003	84	76	2	2000	CU	80	060	1
17	060	7	10	Set	3003	84	76	2	2000	CU	80	060	1
18	050	3	10	Set	3004	83	75	2	2000	CU	-	-	-
19	050	2	10	Set	3005	81	76	2	2000	CU	-	-	-
20	050	1	10	Set	3006	80	77	2	2000	CU	-	-	-
21	040	2	10	Set	3006	79	76	2	2000	CU	-	-	-
22	040	2	10	Set	3006	79	76	2	2000	CU	-	-	-
23	040	1	10	Set	3007	79	76	2	2000	CU	-	-	-
24	040	2	5	Set	3004	78	76	1	2500	CU	-	-	-

POSITION	ZONE	TIME
0800		
L <u>21-06.3N</u>	BY <u>3</u>	
λ <u>158-02.2W</u>	BY <u>3</u>	
1200		
L <u>20-52.5N</u>	BY <u>3</u>	
λ <u>158-13.0W</u>	BY <u>3</u>	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(Date)
TO _____	(Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
<u>87</u>

FUEL CONSUMED 0000-2400
<u>829</u>

REMARKS

00-04 MOORED STARBOARD side to berth AIFA-Six, U.S. NAVAL STATION, Pearl Harbor Hawaii with STANDARD MOORING lines doubled. Material condition Yoke (mod. fix) is SET. Receiving freshwater and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet, yard and district CRAFT. SOPA is CINCPACFLT Series 40 Target Sled No 590 secured alongside to port.

04-08 MOORED as before. 0600 Mustered the crew on stations. Absentees: None. 0600 commenced making all preparations for getting underway. 0610 SET special SEA and anchor detail. 0620 Completed all preparations for getting underway. DRAFT fwd 14' aft 16'. 0626 Underway for LOCAL OPAREA in accordance with COMFLTRAGPAC OP ORDER 49-63. MANEUVERING to clear berth. HAVE Series 40 TARGET Sled No 590 in Tow. 0630 commenced MANEUVERING at various COURSES at various speed while TRANSITING Pearl Harbor Channel. *CAPTAIN and NAVIGATOR on the bridge. CON has the conn. 0637 PASSED buoy No. 9 abeam to STBD distance about 50 yds. 0640 Heaved Star Sled to 100 FT. PASSED buoy No 7 abeam to STBD distance about 50 yds. 0646 Heaved Tow to 300 FT. PASSED buoy No 3 abeam to STBD distance about 50 yds. 0647 Ys to 9.5 KTS.

APPROVED:

C. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

RS Mason, Ltjg

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATR-96

Tuesday 3 ^{10th} Dec. 1963
 (Day) (Date) (Month)

04-08 (CONT) 0650 $\frac{1}{2}$ TO 10.8 KTS. VEERED TOW TO 600 FT. 0651 PASSED
 BUOY #1 ABEAM TO STBD. APPROX 100 FT. 0653 $\frac{1}{2}$ TO 213° $\frac{1}{2}$ TO
 12.8 KTS. 0656 $\frac{1}{2}$ TO 14.3 KTS. 0658 $\frac{1}{2}$ TO 204° 0702 ENTERED
 INTERNATIONAL WATERS. $\frac{1}{2}$ TO 13.3 KTS.

L. E. Horton
 LTJG USN

08-12 Underway as before 0827 $\frac{1}{2}$ to 14.3 KTS. 0832 $\frac{1}{2}$ to
 230° 0858 $\frac{1}{2}$ to 13.3 KTS. 0909 $\frac{1}{2}$ to 9.5 KTS. 0910 $\frac{1}{2}$ to 202°
 0914 $\frac{1}{2}$ to 9.5 KTS. 0917 Commenced Z-23-G with
 USS Hollister. Manuevering on various courses at
 various speeds while conducting Z-23-G. 0959
 Make daily inspection of Ammunition powder samples
 and powder magazine conditions normal. 1103
 Secured from exercise Z-23-G with USS Hollister.
~~Now speed~~ 1104 $\frac{1}{2}$ to 9.5 KTS. 1105 $\frac{1}{2}$ to 6.7 KTS. 1134 $\frac{1}{2}$ to 045° #2
 1135 $\frac{1}{2}$ to 9.5 KTS. 1136 $\frac{1}{2}$ to 6.7 KTS. 1155 $\frac{1}{2}$ to 270°

Arjun E. USN

12-16 Underway as before. 1255 $\frac{1}{2}$ TO 050 1316 $\frac{1}{2}$ TO 9.5 KTS.
 1320 USS NEWELL (DER 322) COMMENCED EXERCISE Z-27-G. 1326 $\frac{1}{2}$
 TO 3.3 KTS. 1330 $\frac{1}{2}$ TO 9.5 KTS. 1342 $\frac{1}{2}$ TO 3.3 KTS. 1349 $\frac{1}{2}$ TO 6.7 KTS.
 1352 $\frac{1}{2}$ TO 9.5 KTS. 1353 $\frac{1}{2}$ TO 12.3 KTS. 1400 $\frac{1}{2}$ TO 180° $\frac{1}{2}$ TO 6.7 KTS.
 1413 $\frac{1}{2}$ TO 9.5 KTS. 1418 $\frac{1}{2}$ TO 12.3 KTS. 1419 $\frac{1}{2}$ TO 6.7 KTS. 1429 $\frac{1}{2}$ TO
 12.3 KTS. 1431 $\frac{1}{2}$ TO 3.3 KTS. 1443 $\frac{1}{2}$ TO 12.3 KTS. 1446 $\frac{1}{2}$ TO 3.3 KTS.
 USS NEWELL (DER 322) COMPLETED EXERCISE Z-27-G. 1448 $\frac{1}{2}$ TO 035°
 1459 $\frac{1}{2}$ TO 9.5 KTS. HEAVED TOW INTO 600 FT. $\frac{1}{2}$ TO 12.3 KTS.
 1501 $\frac{1}{2}$ TO 13.3 KTS.

L. E. Horton
 LTJG USN

16-20 UNDERWAY AS BEFORE. 1727 COMMENCED MANEUVERING ON
 VARIOUS COURSES AT VARIOUS SPEEDS WHILE STANDING IN
 PEARL HARBOR. 1734 HEAVED TOW INTO 300 FEET. 1735 PASSED BOUY #2
 ABEAM TO STBD. 200 FEET. 1740 PASSED BOUY #4 ABEAM TO STBD. 200 FEET.
 1746 PASSED BOUY #6 ABEAM TO STBD. 100 FEET. SNORBED TOW UP TO STERN.
 1757 MOORED STARBOARD SIDE TO IN BERTH ALFA SIX (A-6) WITH
 STANDARD MOORING LINES DOUBLED. PEARL HARBOR HAWAII MAINT-
 ENANCE CONDITION YORE SET. RECEIVING MISCELLANEOUS SERVICES
 FROM THE PIER. SHIPS PRESENT INCLUDE ~~THE~~ VARIOUS UNITS #2
 OF THE US PACIFIC FLEET DISTRICT AND YARD CRAFT.
 SODA IS COMASW FOR PAC. 1803 SECURED THE SEA RANCHOR DETAIL.

C. P. McKenry, EM, USNR

20-24 moored as before

Arjun E. USN

APPROVED:

EXAMINED:

C. C. Reed Lt.

U.S.N. COMMANDING

R. S. Mason, Stjg

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

 EMERGENCY
 NAVY-DPPO-12ND-MI

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE Wednesday 4 December 1963
(Day) (Date) (Month)
AT/PASSAGE FROM Pearl Harbor Hawaii TO Local

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	060	2	5	SCT	3003	75	73	3	2500	CU	-	-	-
02	060	2	5	SCT	3001	73	71	4	2500	CU	-	-	-
03	050	1	5	SCT	3001	73	71	4	2500	CU	-	-	-
04	040	2	5	SCT	3001	73	71	4	2000	CU	-	-	-
05	040	2	5	SCT	3001	74	71	4	2000	CU	-	-	-
06	040	2	5	SCT	3001	75	71	4	2000	CU	-	-	-
07	040	2	5	SCT	3001	77	72	4	2000	CU	-	-	-
08	060	2	5	SCT	3001	77	72	5	2000	CU	80	070	1
09	070	2	5	SCT	3001	80	73	5	2000	CU	80	080	1
10	080	2	5	SCT	3001	80	73	5	2000	CU	80	090	1
11	080	2	5	SCT	3001	80	74	5	2000	CU	80	110	1
12	090	2	5	SCT	3001	83	75	5	2500	CU	80	130	1
13	020	1	7	SCT	2999	85	76	5	2500	CU	80	020	1
14	020	1	7	SCT	2999	85	76	5	2500	CU	80	020	1
15	020	1	7	SCT	2995	89	78	5	2500	CU	80	020	1
16	000	9	10	SCT	2994	85	80	5	2000	CU	80	000	1
17	000	9	10	SCT	2994	79	74	5	2000	CU	80	000	1
18	000	9	10	SCT	2994	77	74	5	2000	CU	80	000	1
19	010	10	10	SCT	2994	77	74	5	2000	CU	80	010	1
20	000	8	10	SCT	2994	77	74	5	2000	CU	80	040	1
21	340	6	10	SCT	2994	77	74	5	2000	CU	80	000	1
22	340	3	10	SCT	2994	77	74	5	2000	CU	80	350	1
23	325	3	10	SCT	2996	77	74	5	2000	CU	80	350	1
24	315	1	7	SCT	2998	78	75	6	2500	CU	80	070	1

POSITION	ZONE	TIME
0800		
L <u>21-13.0N</u>		BY <u>3</u>
λ <u>157-55.0W</u>		BY <u>3</u>
1200		
L <u>20-49.0N</u>		BY <u>3</u>
λ <u>157-40.0W</u>		BY <u>3</u>
2000		
L <u>20-46.4N</u>		BY <u>2</u>
λ <u>157-47.8W</u>		BY <u>2</u>

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED
0000-2400
62

FUEL CONSUMED
0000-2400
890

REMARKS

00-04 Moored starboard side to berth Alfa-six
US Naval Station Pearl Harbor Hawaii with
standard mooring lines. Modified material
condition yoke is set. Receiving fresh water
and telephone service from the pier. Ships
present include various units of US Pacific Fleet
Yard and district small craft. SOPA is COMASIOFORPAC
Series 40 sled No 590 is tied astern.

Mr. Turner Enslin
04-08 Moored as before. 0630 commenced making preparations for
getting underway, mustered the crew on station absentees none. 0640
Set the special sea and anchor detail, draft 13' fwd 16' aft. 0642 Permission
granted to get underway. 0701 Captain and Navigator on the bridge.
060 has the conn. 0703 Underway from berth Alfa-six US Naval Base
Pearl Harbor with series 40 sled ^{No 590} in tow. In accordance with COMEDTRA BRU
OPORD 4963. 0705 maneuvering at various courses and speeds to clear pier.
Rm Turner Enslin

APPROVED:

C. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

R. Mason, Stij

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNARI ATF 96 WEDNESDAY 4 DECEMBER, 1963
(Day) (Date) (Month)

04-08 (Cont) Underway as before. 0710 Captain transferred Comm
0712 000 lost the Comm 0726 Passed buoy #1
aboard to starboard approximately 200 ft C/C to 160° 9/5 to 9.5 kts
0730 9/5 to 11.3 kts. 0731 Secured special sea and anchor
detail. 0739 C/C to 151 0739 C/C to 160° 0744 Enter
International waters 0745 Tested ships whistle, siren
General Chemical and Steering emergency alarm.
Test satisfactory.

Rm Turner Encl 480

08-12 UNDERWAY AS BEFORE. 0847 9/5 TO 12.3 KTS. 0938 C/C TO 144.
0950 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER
SAMPLES. CONDITIONS: NORMAL. 1003 MANEUVERING ON VARIOUS COURSES
AT VARIOUS SPEEDS WHILE STEAMING ^{OVER} SOUTH EAST SECTION
OF PENGUIN BANKS.

C.P. McKenye, En, USMA

12-16 Underway as before. 1205 9/5 to 3.3 kts. 1225 9/5 to
12.3 kts commenced exercise Z-30-G with USS Delmer (ARS 23)
1235 C/C to 270° 1249 C/C to 6.7 kts Secured from exercise Z-30-G
with USS Delmer (ARS-23) 1250 9/5 to 3.3 kts 1253 9/5 to 4.0 kts
C/C to 330°

Rm Turner Encl 480

16-20 UNDERWAY AS BEFORE. 1612 C/C TO 203°

[Signature]
LTJG USN.

20-24 UNDERWAY AS BEFORE. 2015 C/C TO 000° 2032
C/C TO 140° 2035 4/5 TO 6.7 KTS. 2038 4/5 TO 9.5 KTS.
2040 9/5 TO 6.7 KTS. STREAMED TOW TO 3600 FEET. 2120
COMMENCED EXERCISE Z-26-G WITH USS FLETCHER (DD445)
MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS
WHILE CONDUCTING EXERCISE 2205 SECURED FROM
ASSISTING THE USS FLETCHER (DD445) WITH Z-26-G.
C/C TO 6.7 KTS. 2230 C/C TO 320° 2248 C/C TO 322°

C.P. McKenye, En, USMA

APPROVED:

EXAMINED:

[Signature]

U.S.N. COMMANDING

[Signature]

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-MI

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE Thursday 5 DECEMBER 19 63
(Day) (Date) (Month)
AT/PASSAGE FROM Pearl Harbor Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	315	1	10	BKN	29.98	78	75	6	2000	CU	80	020	1
02	345	1	10	BKN	29.96	77	75	6	2000	CU	80	020	1
03	015	1	10	BKN	29.96	77	75	6	2000	CU	80	020	1
04	065	9	10	BKN	29.94	76	75	9	2000	AC	80	060	1
05	070	10	10	BKN	29.94	76	75	9	2000	AC	80	060	1
06	070	10	10	BKN	29.94	76	73	9	2000	CU	80	060	1
07	070	10	10	BKN	29.94	75	72	9	2000	CU	80	060	1
08	070	10	10	BKN	29.95	75	72	9	2000	CU	80	060	1
09	070	10	10	BKN	29.95	78	74	9	2000	CU	80	060	1
10	070	10	10	BKN	29.96	81	76	9	2000	CU	80	060	1
11	100	10	10	BKN	29.95	81	76	9	2000	CU	80	135	1
12	035	10	10	BKN	29.93	81	76	9	2000	CU	80	035	4
13	060	10	10	BKN	29.92	81	76	9	2000	CU	80	060	3
14	090	10	10	BKN	29.91	81	76	8	2000	CU	80	095	1
15	040	10	10	BKN	29.90	80	76	8	2000	CU	80	110	1
16	040	10	10	BKN	29.88	80	76	8	2000	CU	80	230	1
17	070	8	10	BKN	29.88	80	76	8	2000	CU	80	230	1
18	070	8	10	BKN	29.87	80	76	8	2000	CU	80	240	2
19	070	7	10	BKN	29.86	80	76	8	2000	CU	80	240	2
20	070	7	10	BKN	29.93	80	76	8	2000	CU	80	200	2
21	070	7	10	BKN	29.94	80	76	8	2000	CU	80	240	2
22	070	7	10	BKN	29.94	75	75	9	2000	CU	80	240	2
23	070	7	10	BKN	29.94	75	75	9	2000	CU	80	240	2
24	070	7	10	BKN	29.94	75	74	9	2000	ST	80	240	2

POSITION	ZONE	TIME
0800		
L <u>21-05.0°N</u>	BY <u>32</u>	
λ <u>157-56.0°W</u>	BY <u>2</u>	
1200		
L <u>21-10.0°N</u>	BY <u>3</u>	
λ <u>157-57.5°W</u>	BY <u>3</u>	
2000		
L <u>21-11.2°N</u>	BY <u>3</u>	
λ <u>158-00.5°W</u>	BY <u>3</u>	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400
97

FUEL CONSUMED
0000-2400
676

REMARKS

ΦΦ-Φ4 Underway Independently from Pearl Harbor Hawaii, steaming in local op areas G1, G3 in accordance with COMETRAGRU Op order 49-63. Series 40 ^{Nov 590} _{is in tow}. Base course 322. Base speed 6.7 kts. Material condition spk modified is set. Headwear condition V, Engineering Condition III and Damage Control Condition III are set. 0245 °C to 000°.

Dr. James E. W. W.

Φ4-Φ8 UNDERWAY AS BEFORE. Φ518 °C TO Φ9Φ° Φ552 °C TO 29Φ 0648 °C TO 281° 0655 °C TO °C TO 4.0 KTS. Φ746 °C TO 3.3 KTS °C TO 333° SEH Φ747 SET SPECIAL SEA AND ANCHOR DETAIL CAPTAIN AND NAVIGATOR ON THE BRIDGE. OOD HAS THE CONN. Φ748 °C TO 6.7 KTS. Φ752 °C TO 338° Φ756 °C TO 34Φ ENTERED INLAND WATERS. Φ759 °C TO 338°

LC Harte
LTJG USN.

APPROVED:

EXAMINED:

CC Reed Lt

U.S.N. COMMANDING

PS Mason, Stig

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96Thursday 5 December 1963
(Day) (Date) (Month)

20-24 08-12 UNDERWAY AS BEFORE. 0800 MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE STANDING IN PEARL HARBOR TO DROP OFF SERIES 70 SLED, TURN AROUND AND STAND OUT OF THE HARBOR. 0819 PASSED BOUY #2 ABEAM TO STBD. 0828 PASSED BOUY #4 ABEAM TO STBD. 0836 PASSED BOUY #6 ABEAM TO STBD. 0837 YL553 CAME ALONGSIDE AND TOOK SERIES 70 SLED. 0840 CAPTAIN HAS THE CONN. 0846 OOD HAS THE CONN. 0850 PASSED BOUY #7 ABEAM TO STBD. 0854 PASSED BOUY #5 ABEAM TO STBD. 0857 SECURED THE SPECIAL SEA & ANCHOR DETAIL. 0906 PASSED BOUY #1 ABEAM TO STBD. 0902 ENTERED INTERNATIONAL WATERS. COMMENCED MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE CLOSING THE USS GRASP. 0937 SET THE TOWING DETAIL COMMENCED ASSISTING USS GRASP (ARS 24) WITH Z-6-S. 0942 CAPTAIN HAS THE CONN. MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE TARIING USS GRASP (ARS 24) IN TOW. 1021 OOD HAS THE CONN. 1024 USS GRASP (ARS 24) CAME CLOSE ABOARD TO TARE 25 IN TOW. 1130 SECURED FROM Z-6-S WITH USS GRASP (ARS 24) C/S TO 9.5 KTS. C/C 70350.

C. P. McRorie, Ensign, USNR

12-16 Underway as before. 1226 C/S to 12.3 kts, 1229 C/S to 6.7 kts 1245 C/S to 10 kts 1251 C/C to 270° 1256 C/C to 180° Commenced tracking exercise with USS Plantree and USS Delaney (ARS 23) steering various courses at various speeds while conducting tracking exercise 1358 Secured from tracking exercise 1358 C/C to 016, C/S to 9.5 kts 1413 Steering various courses at various speeds while conducting F/T RAGAN exercise 13-CC(B) 1500 Secured from exercise RTG-13-CC(B) C/C to 030, C/S to 12.3 kts 1504 C/S to 14.3 kts 1512 C/C to 345, Set special sea and anchor detail, made preparations for entering port. Captain and Navigator on the bridge OOD has the Conn. Draft 13'0" fwd 16'0" aft. 1514 C/C to 340° 1517 C/C to 337; 1518 C/C to 333° 1521 C/C to 335 1522 Passed sea buoy #2 abeam to starboard Commenced maneuvering various courses at various speeds to arrive at berth Fortat 12.

Lt J. E. Ensign

16-20 Underway as before 1602 Moored portside to berth Fortat 12 Pearl Harbor Hawaii 1614 Secured special sea and anchor detail. Ho 1620. Loaded KD-21 unit on board.

1636 16-20 (Cont) Set special sea and anchor detail. Captain and Navigator on the bridge. OOD has the conn. 1641 Commenced maneuvering various courses and speeds to clear berth Fortat 12 Enroute to local OP Area in accordance with ComFt Trabon OP Ord 49-63 with unit of KD-21 embarked. 1641 Headed fair in channel, maneuvering various courses and speeds to conform with Pearl Harbor channel. 1719 Passed Buoy #1 abeam to starboard approx 50 yds. on course 170° speed 6.7 kts. 1737 C/C to 149° 1745 C/C to 210° 1748 entered International Waters.

LC Porter
LTJG USN.

20-24 Underway as before 2210 C/S to 4.0 kts

Lt J. E. Ensign

APPROVED:

EXAMINED:

C. C. Brad Lt.

U.S.N. COMMANDING

R. S. Nason, Ltjg

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-MI

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-9C ZONE DESCRIPTION +10 DATE FRIDAY 6 DECEMBER, 19 63
(Day) (Date) (Month)
AT/PASSAGE FROM PEARL HARBOR, HAWAII TO LOCAL OP-AREA G-4

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	040	5	10	ovc	2994	75	74	10	2000	Ac	80	040	1
02	040	5	10	ovc	2993	76	75	10	2000	Ac	80	040	1
03	040	5	10	ovc	2992	76	75	10	1500	Ac	80	040	1
04	040	5	10	L	2990	75	74	10	1500	Ac/sc	80	045	1
05	040	8	10	R	2988	75	74	10	1000	Sc	80	045	1
06	040	8	5	R	2991	75	74	10	1000	Sc	80	045	1
07	040	8	5	R	2991	75	74	10	1000	Sc	80	045	1
08	040	8	5	R	2992	75	74	10	1000	Sc	80	045	1
09	000	8	5	R	2998	75	74	10	1000	Sc	80	000	1
10	000	8	5	R	2999	76	75	10	1000	Sc	80	000	1
11	310	5	5	R	2999	70	71	10	1000	Sc	80	310	1
12	000	5	5	ovc	2996	73	70	10	1000	ST	80	310	1
13	090	3	5	L	2994	72	70	10	1000	ST	80	080	1
14	090	3	10	ovc	2993	72	70	10	1000	ST	80	080	1
15	090	4	10	ovc	2991	71	69	10	1000	ST	80	080	1
16	050	8	10	ovc	2989	73	71	10	1000	ST	80	080	1
17	050	8	10	ovc	2989	73	71	10	1000	ST	80	080	1
18	050	7	10	BKN	2989	74	73	9	1000	ST	80	080	1
19	050	7	10	BKN	2989	74	73	9	1000	ST	80	080	1
20	035	5	10	BKN	2996	75	73	9	1000	ST	80	080	1
21	035	2	10	BKN	2996	75	73	9	1000	ST	80	035	1
22	035	2	10	BKN	2996	75	73	9	1000	ST	80	035	1
23	040	4	10	ovc	2996	75	73	10	1000	Sc	80	035	1
24	040	5	10	ovc	2996	76	73	10	1000	Sc	80	040	1

POSITION	ZONE	TIME
0800		
L <u>20-34.5N</u>	BY <u>32</u>	<u>Per</u>
λ <u>158-16.5W</u>	BY <u>2</u>	
1200		
L <u>20-45.0N</u>	BY <u>2</u>	
λ <u>158-20.7W</u>	BY <u>2</u>	
2000		
L <u>20-47.4N</u>	BY <u>2</u>	
λ <u>158-25.4W</u>	BY <u>8</u>	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
<u>77.5</u>

FUEL CONSUMED 0000-2400
<u>403</u>

REMARKS

ΦΦ-Φ4. UNDERWAY INDEPENDENTLY FROM PEARL HARBOR, HAWAII
ENROUTE TO LOCAL OP-AREA G-4 WITH KD-21 EMBARKED, IN
ACCORDANCE WITH COMFET TRA GRN OP-ORD 49-63. BASE COURSE
210° BASE SPEED 4.0 KTS. MATERIAL CONDITION Yoke MODIFIED.
READINESS CONDITION II, ENGINEERING CONDITION III, AND
DAMAGE CONTROL CONDITION III ARE SET. ΦΦΦ3 1/2 TO 4.6 KTS
Φ135 °C TO 180°

LTJG USN.

Φ4-Φ8 UNDERWAY AS BEFORE. Φ435 °C TO 225° Φ717 °C TO 125°
Φ726 °C TO 135° Φ745 TESTED SHIP'S WHISTLE, SIREN, GENERAL, CHEMICAL, AND
STEERING EMERGENCY ALARM TEST SATISFACTORY. MUSTERED CREW ON
STATIONS. ABSENTEES: NONE. Φ759 °C TO 025° C/S TO 6.7 KTS.
C/S TO 9.5 KTS.

C. P. McKenzie, Enj, USMR

APPROVED:

EXAMINED:

C. P. Reed Lt.

U.S.N. COMMANDING

PO Nosen, Ltjg

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPER 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI

ATF 96

FRIDAY 6 DECEMBER, 1963
(Day) (Date) (Month)

16

C/M

08-12 Underway as before. 0803 C/L to 078°; 0805 C/L to all stop 0806 C/L to 9.5 KTS; 0807 C/L to 075°; 0812 C/L to 077°; 0819 C/L to 000° C/L to 6.0 KTS; 0825 C/L to 9.5 KTS; 0827 C/L to 357°; 0828 C/L to 000°; 0830 C/L to 6.0 KTS; 0832 C/L to 517 KTS; 0836 C/L to 6.0 KTS; 0925 C/L to 180°; 0931 C/L to 175°; 0937 C/L to 180° C/L to 12.3 KTS; 0943 C/L to 270°; 0947 C/L to 3.3 KTS; 1000 C/L to 000°; 1035 C/L to 270°

Rm Juma En Ush

12-16 UNDERWAY AS BEFORE. 1208 C/L to 6.7 KTS. 1241 ARGAO, RENATO Q. 513-04-85, TN, USN ~~SUFFERED~~ ^{SUFFERED} POSSIBLE SIMPLE FRACTURE OF THIRD AND FOURTH CARPAL BONES OF RIGHT HAND WHEN HATCH FELL ON HIS HAND. ^{NOT DUE TO HIS CONDUCT.} 1334 EXERCISED CREW AT GENERAL QUARTERS

LE Horton
LTJG USN.

12-16 (Cont) Underway as before 1347 maneuvering at various courses and speed while conducting rubber ducky drill. 1358 Secured from ^{Rubber ducking} drill C/L to 3.3 KTS. 1402 Commence gunnery exercise, simulated mining sinking. Steering various courses at various speeds while firing gunnery exercise. 1415 ^{1415 Commenced firing simulated mine sinking} launched drone aircraft and commenced antiaircraft gunnery exercise. 1505 ^{16 rounds ammunition expended during exercise.} Secured from antiaircraft gunnery exercise. Rm Juma En Ush

12-16 (Cont) Underway as before. 1517 Commenced maneuvering various courses and speed & recover drone. 1532 Drone aboard. 1540 C/L to 090° C/L to 3.3 KTS

LE Horton LTJG USN.

16-20 UNDERWAY AS BEFORE. 2000 C/L to 092°

C. P. McKenzie, CM, USMR

20-24 Underway as before; 2000 C/L to 092°; 2118 C/L to 9.5 KTS; 2129 C/L to 3.3 KTS

Rm Juma En Ush

APPROVED:

EXAMINED:

CC Reed Lt.

U.S.N. COMMANDING

RS Mason, Ltjg

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-MI

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-9C ZONE DESCRIPTION +10 DATE SATURDAY 7 DECEMBER, 19 1963
(Day) (Date) (Month)
AT/PASSAGE FROM IN LOCAL OP-AREA G-4 TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BILI- TY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	050	6	10	OVC	2996	76	72	10	1000	Sc	80	050	1
02	050	7	10	OVC	2996	76	72	10	1000	Sc	80	050	1
03	050	5	10	OVC	2995	75	72	9	1000	Sc	80	050	1
04	020	8	10	OVC	2994	75	72	9	1100	Sc	80	030	1
05	020	8	10	OVC	2993	75	73	9	1200	Sc	80	020	1
06	020	9	10	OVC	2992	75	73	9	1200	Sc	80	010	1
07	020	9	10	OVC	2992	76	73	9	1200	Sc	80	010	1
08	035	11	10	OVC	2996	76	74	9	1200	Sc	80	045	1
09	035	11	10	OVC	2996	76	74	9	1200	Sc	80	045	1
10	035	10	10	OVC	2996	76	74	9	1200	Sc	80	045	1
11	000	10	10	OVC	2995	77	74	9	2000	Sc	80	000	1
12	000	10	10	OVC	2994	77	74	9	2000	Sc	80	000	1
13	020	10	10	OVC	2993	78	74	8	2000	Sc	80	010	1
14	020	10	10	R	2993	78	74	8	2000	Sc	80	010	1
15	030	10	10	R	2992	78	74	8	2000	Sc	80	010	1
16	030	7	10	R	2992	76	73	7	2000	Sc	80	010	+ 800
17	030	5	10	R	2992	76	73	7	2000	Sc	80	010	+ 800
18	030	1	10	R	2992	76	73	6	2000	Sc	80	000	+ 800
19	-	-	10	BKN	2992	76	73	7	2000	Sc	80	000	+ 800
20	-	-	10	SCT	2993	73	71	6	2000	Sc	80	000	+ 800
21	-	-	10	SCT	2993	73	71	3	2000	Sc	80	000	+ 800
22	-	-	10	CLR	2993	72	70	-	-	-	80	000	+ 800
23	-	-	10	CLR	2993	71	69	-	-	-	80	000	+ 800
24	-	-	10	CLR	2993	70	68	-	-	-	80	000	+ 800

POSITION	ZONE	TIME
0800 L <u>20-37.4 N</u>	BY <u>3</u>	
λ <u>158-09.7 W</u>	BY <u>3</u>	
1200 L <u>20-49.0 N</u>	BY <u>2</u>	
λ <u>158-11.8 W</u>	BY <u>2</u>	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
<u>93.7</u>

FUEL CONSUMED 0000-2400
<u>784</u>

REMARKS

00-04 UNDERWAY INDEPENDENTLY IN PEARL HARBOR LOCAL OP-
AREA G-4, WITH UNIT OF KD-21 EMBARKED, IN ACCORDANCE
WITH COMFLT TRAGRU OPORD 49-63. BASE COURSE 0920,
BASE SPEED 3.3 KTS. MODIFIED MATERIAL CONDITION VOICE
READINESS CONDITION I, ENGINEERING CONDITION III, AND
DAMAGE CONTROL CONDITION III SET. 0040 C/G TO 180°

LE North
ATF 9C USN.

04-08 UNDERWAY AS BEFORE. 0600 C/G TO 270 0730 C/G TO 070 0735 C/G TO
5.2 KTS. 0745 TESTED SHIPS WHISTLE, SIREN, GENERAL, CHEMICAL, AND STEERING EMERGENCY
ALARMS. TEST: SATISFACTORY. MUSTERED CREW ON STATIONS. ABSENTEES: NONE.

C. P. McKeen, Ensign, USN

APPROVED:

CC Reed Lt.

U.S.N. COMMANDING

EXAMINED:

RD Mason, Ltjg

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ADNAKI ATF-96SATURDAY 7 DECEMBER 1963
(Day) (Date) (Month)

08-12 Underway as before 0814 $\frac{1}{2}$ to 270° took station on Bonin Hound Reef (CV-31) to commence exercise Z-9-6. steering various courses and speeds while conducting exercise Z-9-6
1025 Secured from Z-9-6 1035 $\frac{1}{2}$ to 12.3 kts $\frac{1}{2}$ to 028°
1037 $\frac{1}{2}$ to 14.3 kts

Mr. Turner En USN

12-16 Underway as before. 1307 $\frac{1}{2}$ to 331° 1343 $\frac{1}{2}$ to 338° 1346 $\frac{1}{2}$ to 12.3 kts. 1410 $\frac{1}{2}$ to 336° 1411 ENTERED INLAND WATERS $\frac{1}{2}$ to 338° SET SPECIAL SEN AND ANCHOR DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE OOD HAS THE CONN. 1415 $\frac{1}{2}$ to 340° 1418 $\frac{1}{2}$ to 335° PASS BUOY #2 ABEAM TO STBD APPROX 100 FT. COMMENCED MANEUVERING VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. 1454 COMMENCED MANEUVERING VARIOUS COURSES AND SPEEDS TO APPROACH AND MOOR IN BERTH FOXTROT 12 FORD ISLAND, PEARL HARBOR HAWAII. 1501 MOORED IN BERTH FOXTROT 12. 1506 COMMENCED UNLOADING UNIT OF KD-21. 1524 COMPLETED UNLOADING. COMMENCED MANEUVERING VARIOUS COURSES AND SPEED TO CLEAR BERTH FOXTROT 12. 1525 UNDERWAY FROM FOXTROT 12 ENROUTE TO SIERRA 18 US SUBMARINE BASE, PEARL HARBOR HAWAII IN ACCORDANCE WITH PERTHING ASSIGNMENT FROM PORT CONTROL. MANEUVERING VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. 1548 CAPTAIN HAS THE CONN. MANEUVERING VARIOUS COURSES AND SPEEDS TO APPROACH AND MOOR IN BERTH SIERRA 18. 1554 MOORED STARBOARD SIDE TO IN BERTH SIERRA 18, US SUBMARINE BASE, PEARL HARBOR HAWAII. SOPA IS CINC PAC FLT. 1559 SECURED SPECIAL SEN DETAIL

L. E. Norton
LTJG USN.

16-20 Moored as before 1800 Set material condition Yoke modified.

Mr. Turner En USN

20-24 Moored as before

Mr. Turner En USN

APPROVED:

EXAMINED:

C. C. Reed Lt.

U.S.N. COMMANDING

R. S. Nason, Ltjg

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-MI

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION 110W DATE Sunday 8 December, 19 63
(Day) (Date) (Month)

AT/PASSAGE FROM Pearl Harbor Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	040	1	10	CLR	29.93	67	64	—	—	—	—	—	—
02	040	1	10	CLR	29.93	66	64	—	—	—	—	—	—
03	—	—	10	CLR	29.93	65	64	—	—	—	—	—	—
04	—	—	10	CLR	29.90	66	61	—	—	—	—	—	—
05	—	—	10	CLR	29.90	66	61	—	—	—	—	—	—
06	040	3	10	CLR	29.93	67	62	—	—	—	—	—	—
07	040	3	10	CLR	29.93	69	62	—	—	—	—	—	—
08	—	—	10	SET	29.92	79	73	2	2000	CU	—	—	—
09	—	—	10	SET	29.92	79	73	2	2000	CU	—	—	—
10	—	—	10	SET	29.92	79	73	2	2000	CU	—	—	—
11	210	2	10	SET	29.92	83	75	2	2000	CU	—	—	—
12	210	2	10	SET	29.92	83	74	2	2000	CU	—	—	—
13	220	2	10	SET	29.93	83	76	3	2000	CU	—	—	—
14	250	5	10	SET	29.93	82	75	3	2000	CU	—	—	—
15	250	6	10	SET	29.93	81	75	3	2000	CU	—	—	—
16	250	5	10	SET	29.93	81	75	3	2000	CU	—	—	—
17	250	5	10	SET	29.93	81	75	3	2000	CU	—	—	—
18	250	3	7	SET	29.90	80	75	4	2000	CU	—	—	—
19	250	3	7	SET	29.89	80	75	4	2000	CU	—	—	—
20	250	3	10	SET	29.89	78	74	5	2000	CU	—	—	—
21	250	2	10	SET	29.89	78	74	5	2000	CU	—	—	—
22	230	2	10	SET	29.89	75	73	6	2000	CU	—	—	—
23	230	1	10	BKN	29.89	74	73	7	2000	CU	—	—	—
24	230	2	10	BKN	29.89	74	73	7	2000	CU	—	—	—

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
200

REMARKS

00-04 Moored starboard side to beach Seina 18
US Naval Submarine Base Pearl Harbor Hawaii
using standard mooring lines. Receiving
fresh water and telephone service and electric
power from the pier. Material condition Yoke
modified is set. Ships present include various
units of the US Pacific Fleet and yard and district
small craft. SOPA is COMASWFORPAC

Mr James Earl Smith

04-08 Moored as before. 0759 mustered crew on stations
absentees: none

Mr James Earl Smith

APPROVED:

EXAMINED:

C. C. Reed Lt.

U.S.N. COMMANDING

R. S. Mason, Ltjg

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNARIATF 96SUNDAY 8 DECEMBER, 1963
(Day) (Date) (Month)

08-12 MOORED AS BEFORE. 1050 RECEIVED DAILY MAGAZINE
MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER
SAMPLES CONDITIONS: NORMAL.

C. P. McKenjie, En, USMR

12-16 MOORED AS BEFORE.

C. P. McKenjie, En, USMR

16-20 MOORED AS BEFORE. 1800 SET MATERIAL
CONDITION YORE MODIFIED. MUSTERED THE DUTY FIRE PARTY.
ABSENTEES: NONE.

C. P. McKenjie, En, USMR

20-24 MOORED AS BEFORE.

C. P. McKenjie, En, USMR

APPROVED:

CC Beed Lt.

U.S.N. COMMANDING

EXAMINED:

DS Mason, Stjg

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-MI

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAR ATF 8 ZONE DESCRIPTION PEARL HARBOR, HAWAII DATE MONDAY 9 DECEMBER, 19 63
AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMP-ERATURE	WAVES	
	DIREC-TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	230	1	10	BKN	2989	73	72	8	2000	CU	-	-	-
02	230	1	10	BKN	2989	73	72	9	2000	CU	-	-	-
03	220	1	10	BKN	2987	72	72	9	2000	CU	-	-	-
04	-	-	10	BKN	2987	72	72	9	1000	ST	-	-	-
05	-	-	10	L	2987	73	73	9	1000	ST	-	-	-
06	-	-	10	L	2987	73	73	9	1000	ST	-	-	-
07	-	-	10	L	2989	73	73	9	1000	ST	-	-	-
08	-	-	8	OVC	2988	74	74	10	2500	CU	-	-	-
09	220	2	9	BKN	2991	78	75	7	2000	CU	-	-	-
10	220	1	9	OVC	2990	80	77	10	2000	CU	-	-	-
11	220	3	9	OVC	2990	81	79	10	2000	CU	-	-	-
12	-	-	10	OVC	2989	81	79	10	2500	CU	-	-	-
13	090	8	10	OVC	2988	81	79	10	2500	CU	-	-	-
14	090	8	10	BKN	2987	81	79	8	2000	CU	-	-	-
15	090	8	10	SET	2986	81	78	6	2000	CU	-	-	-
16	090	10	10	SET	2985	81	77	4	2000	CU	-	-	-
17	090	10	10	SET	2985	79	75	5	2000	CU	-	-	-
18	090	10	10	SET	2985	78	75	5	2000	CU	-	-	-
19	090	8	10	SET	2985	78	75	5	2000	CU	-	-	-
20	090	8	10	SET	2986	77	74	4	2000	CU	-	-	-
21	090	8	10	SET	2986	77	75	4	2000	CU	-	-	-
22	090	8	10	SET	2986	77	75	4	2000	CU	-	-	-
23	090	7	10	SET	2987	77	75	5	2000	CU	-	-	-
24	090	7	10	SET	2985	77	75	5	2000	CU	-	-	-

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
150

REMARKS

00-04 MOORED ST STARBOARD SIDE TO IN BERTH SIXRA 9m SEVENTEEN (S-17) EIGHTEEN (S-18) US NAVAL SUBMARINE BASE, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. MATERIAL CONDITION YORE MODIFIED IS SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, DISTRICT AND YARD CRAFT. SOPA IS COMASWFOR PAC.

C.P. McKenry, CM, USMR

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

C.P. McKenry, CM, USMR

APPROVED:

C. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

R. Mason, Ltjg

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Monday 9 DECEMBER 1963
(Day) (Date) (Month)

08-12 MOORED AS BEFORE. 0930 MADE DAILY INSPECTION OF
MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS
NORMAL.

JE Horton
LTJG USN

12-16 MOORED AS BEFORE. 1313 COMMENCED TAKING
ON FUEL DRAFT FWD 14'3" AFT 15'6" 1355 SECURED
TAKING ON FUEL DRAFT FWD 14'3" AFT 16'5" RECEIVED
11,454 GALLONS DIESEL OIL.

JE Horton
LTJG USN

16-20 MOORED AS BEFORE. 1800 SET MODIFIED MATERIAL
CONDITION YOKE.

JE Horton
LTJG USN
1

20-24 MOORED AS BEFORE

JE Horton
LTJG USN

APPROVED:

CC Reed Lt.

U.S.N. COMMANDING

EXAMINED:

RS Mason, Ltjg

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-M1

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION T10 DATE TUESDAY 10 10 DECEMBER, 19 63 LN
PEARL HARBOR, HAWAII TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMP-ERATURE	WAVES	
	DIREC-TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	070	5	10	ScT	2982	77	75	5	2000	CU	-	-	-
02	040	4	10	ScT	2980	76	74	5	2000	CU	-	-	-
03	040	3	8	ScT	2980	75	73	5	2000	CU	-	-	-
04	-	-	8	ScT	2980	75	73	5	2500	CU	-	-	-
05	-	-	8	ScT	2983	76	74	5	2500	CU	-	-	-
06	-	-	8	ScT	2985	77	75	5	2500	CU	-	-	-
07	-	-	8	BKN	2985	77	75	9	2500	CU	-	-	-
08	-	-	8	BKN	2985	77	75	9	2500	CU	-	-	-
09	020	3	8	BKN	2988	80	76	9	2500	CU	-	-	-
10	020	3	8	BKN	2988	80	77	9	2500	CU	-	-	-
11	020	4	8	ovc	2989	82	77	10	2500	ST/cu	-	-	-
12	020	3	8	ovc	2989	82	77	10	2000	ST/cu	-	-	-
13	020	3	8	ovc	2988	82	77	10	2000	ST/cu	-	-	-
14	020	3	8	ovc	2988	81	76	10	2000	ST/cu	-	-	-
15	020	3	8	ovc	2988	80	76	10	2000	ST/cu	-	-	-
16	015	4	8	ovc	2987	79	75	10	1500	ST/cu	-	-	-
17	015	5	8	ovc	2986	77	74	10	1500	ST/cu	-	-	-
18	015	4	7	ovc	2986	76	73	10	1500	ST/cu	-	-	-
19	015	4	5	ovc	2986	75	70	10	1500	ST/cu	-	-	-
20	015	4	8	ovc	2987	75	70	10	1500	ST/cu	-	-	-
21	015	4	8	ovc	2989	75	70	10	1500	ST/cu	-	-	-
22	015	4	8	ovc	2989	74	70	10	1500	ST/cu	-	-	-
23	015	4	8	ovc	2990	74	70	10	1500	ST/cu	-	-	-
24	015	5	8	ovc	2991	74	71	10	1000	ST/cu	-	-	-

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
120

REMARKS

ΦΦ-Φ4 MOORED STARBOARD SIDE TO IN BERTH SIERRA 18. US SUBMARINE BASE. PEARL HARBOR HAWAII, WITH STANDARD MOORING LINES DOUBLED. RECEIVING ELECTRICAL POWER, FRESH WATER, AND TELEPHONE SERVICE FROM THE AER. MODIFIED MATERIAL CONDITION YOKE SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD, AND DISTRICT CRAFT. SOPA IS CINE PACFLT

LTJG USN

Φ4-Φ8 MOORED AS BEFORE. Φ145 MUSTERED CREW AT QUARTERS: ABSENTEES NONE.

LTJG USN

APPROVED:

EXAMINED:

CC Reed Lt.

U.S.N. COMMANDING

RS Mason, Ltjg

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPER 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

Abnaki (ATF-96)

Tuesday 10 December 1963
(Day) (Date) (Month)

08-12 MOORED AS before. 0958 Made daily inspection of
MAGAZINE AND smokeless powder sampler. Conditions normal.

R. S. Mason, Ltjg, USNR

12-16 MOORED AS before

R. S. Mason, Ltjg, USNR

16-20 MOORED AS before. 1800 SET MATERIAL CONDITION
Yoke (Modified).

R. S. Mason, Ltjg, USNR

20-24 MOORED AS before.

R. S. Mason, Ltjg, USNR

APPROVED:

C. C. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

R. S. Mason, Ltjg

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-MI

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10W DATE Wednesday Tuesday 11 Dec , 19 63
AT/PASSAGE FROM Pearl Harbor Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	015	5	8	BKN	29.91	74	71	7	1050	CU	-	-	-
02	140	2	8	ScT	29.90	73	71	5	750	CU	-	-	-
03	140	1	8	ScT	29.90	73	71	1	750	CU	-	-	-
04	145	1	9	ScT	29.90	75	74	3	700	CU	-	-	-
05	145	1	9	ScT	29.92	75	74	4	750	CU/ST	-	-	-
06	150	3	9	BKN	29.94	77	75	7	750	CU/ST	-	-	-
07	150	3	9	OVC	29.94	77	75	10	600	ST	-	-	-
08	150	3	10	R	29.95	78	74	10	600	ST	-	-	-
09	150	3	10	R	29.97	78	73	10	600	ST	-	-	-
10	150	3	10	BKN	29.99	79	73	9	600	ST	-	-	-
11	150	3	10	BKN	29.99	79	73	9	600	ST	-	-	-
12	150	2	10	BKN	29.94	79	75	9	1000	ST	-	-	-
13	150	2	10	BKN	29.93	79	75	9	1000	ST	-	-	-
14	150	3	10	BKN	29.92	81	79	9	1000	ST	-	-	-
15	150	3	10	BKN	29.92	81	79	9	1000	ST	-	-	-
16	150	3	10	BKN	29.92	80	78	9	1000	ST	-	-	-
17	150	3	10	BKN	29.91	80	78	9	1000	ST	-	-	-
18	150	3	10	BKN	29.91	78	75	9	1000	ST	-	-	-
19	150	3	10	BKN	29.91	77	73	9	1000	ST	-	-	-
20	160	3	10	BKN	29.90	76	71	8	1000	ST	-	-	-
21	160	3	10	BKN	29.90	76	71	9	1000	ST	-	-	-
22	155	2	10	BKN	29.90	75	71	9	1000	ST	-	-	-
23	155	3	10	BKN	29.93	74	71	9	1000	ST	-	-	-
24	155	3	6	BKN	29.99	74	73	7	1000	CU	-	-	-

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
50

REMARKS

00-04 MOORED STARBOARD side To Berth SIERRA-18 U.S. NAVAL Submarine Base, Pearl Harbor, Hawaii with STANDARD MOORING LINES doubled. Receiving electrical, fresh water and Telephone SERVICES from the Pier. MATERIAL CONDITION Yoke Modified IS SET. Ships present include various units of the U.S. Pacific Fleet, yard and district craft. SOPA is CINCPACFLT

RS Mason, Stg, USNR

04-08 MOORED AS before. 0745 MUSTERED the crew at quarters ABSENTEES: NONE

RS Mason, Stg, USNR

APPROVED:

CC Reed Lt.

U.S.N. COMMANDING

EXAMINED:

RS Mason Stg

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPER 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Wednesday 11 December 1963
(Day) (Date) (Month)

08-12 moored as before. 0938 made daily inspection of magazines and smokeless powder samples. Conditions normal.

J. L. Hollis, CWO2-USN

12-16 moored as before.

J. L. Hollis, CWO2-USN

16-20 moored as before 1800 set material condition yoke (modified). 1830 mustered the inport Rescue and assistance detail.

J. L. Hollis, CWO2-USN

~~20-24~~
~~16-20~~ moored as before.

J. L. Hollis, CWO2-USN

2/11

APPROVED:

C. C. Bud L.

U.S.N. COMMANDING

EXAMINED:

R. S. Mason, Ltjg

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
 NAVY-DPPO-12ND-MI

FOR OFFICIAL USE ONLY

NAVPER 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNARI (ATF-96) ZONE DESCRIPTION +10W DATE Thursday 12 December, 19 63
AT/PASSAGE FROM PEARL HARBOR, Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	155	3	6	BKN	29.99	74	73	7	1500	cu	-	-	-
02	350	5	6	BKN	29.99	74	73	8	1500	cu	-	-	-
03	350	5	6	BKN	29.99	74	73	9	1500	st/cu	-	-	-
04	340	5	6	ovc	29.98	75	73	10	1500	st/cu	-	-	-
05	330	5	6	ovc	29.98	75	73	10	1500	st/cu	-	-	-
06	320	5	6	ovc	29.97	75	73	10	1800	st/cu	-	-	-
07	300	5	6	ovc	29.97	75	73	10	1800	st/cu	-	-	-
08	300	5	6	ovc	29.98	75	74	10	1900	st/cu	-	-	-
09	300	2	9	ovc	30.00	76	75	10	1900	st/cu	-	-	-
10	300	4	9	ovc	30.00	79	76	10	2000	st/cu	-	-	-
11	040	4	10	ovc	30.04	82	78	10	2500	st/cu	-	-	-
12	020	2	8	ovc	30.02	83	78	10	2500	cu	-	-	-
13	015	3	8	ovc	30.01	84	78	10	2500	cu	-	-	-
14	015	1	8	ovc	30.00	83	77	10	2500	cu	-	-	-
15	015	1	8	ovc	29.98	82	77	10	2500	cu	-	-	-
16	015	1	8	ovc	29.98	80	76	10	2500	cu	-	-	-
17	015	1	8	ovc	29.98	80	76	10	2500	cu	-	-	-
18	015	2	8	ovc	29.99	78	75	10	2500	cu	-	-	-
19	000	1	8	BKN	29.99	78	75	9	2500	cu	-	-	-
20	000	1	8	BKN	29.99	78	75	7	2500	cu	-	-	-
21	010	1	8	BKN	29.99	76	75	7	2500	cu	-	-	-
22	010	1	8	BKN	29.99	75	74	6	2500	cu	-	-	-
23	010	1	8	Sct	29.99	74	73	5	2500	cu	-	-	-
24	-	-	8	Sct	29.98	74	73	3	2500	cu	-	-	-

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(Date)
TO _____	(Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 moved starboard side to berth Sierra 18, U.S. Naval Submarine Base, Pearl Harbor, Hawaii, using four standard mooring lines doubled, receiving potable water, electrical power and telephone service from the pier. Material condition yoke (modified) set. Ships present include various units of the U.S. Pacific Fleet District and small craft. S.O.P.A. is CinCPacFLT.

J.L. Hollis, CWO2-45N

04-08 moved as before. 0730 mustered the crew at Quarters. Absentees: none.

J.L. Hollis, CWO2-45N

APPROVED:

EXAMINED:

C. Breed Lt.

U.S.N. COMMANDING

R. Mason, Ltjg

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Thursday 12 December 1963
(Day) (Date) (Month)

08-12 Moored as before 0925 made daily inspection of magazines and smokeless powder samples, conditions normal.

Am Turner Encl 4 ml

12-16 Moored as before

Am Turner Encl 4 ml

16-20 Moored as before, 1800 Set material condition. Yoke modified. 1905 Howell GR
~~I-2 left the ship for Tripler General Hospital. Diagnosis~~
~~appendicitis.~~ *Am Turner Encl 4 ml*

*Per
Per*

20-24 Moored as before.

Am Turner

APPROVED:

CC Reed Lt.

U.S.N. COMMANDING

EXAMINED:

DS Mason, Ltjg

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
 NAVY-DPPO-12ND-M1

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE Friday 13 December, 19 63
(Day) (Date) (Month)
AT/PASSAGE FROM Pearl Harbor Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	—	—	8	Set	2998	74	73	3	2500	CU	—	—	—
02	—	—	8	Set	2998	74	73	3	2500	CU	—	—	—
03	—	—	8	Set	2998	74	73	3	2500	CU	—	—	—
04	—	—	5	Set	2998	72	72	2	2500	CU	—	—	—
05	—	—	5	Set	2998	71	71	1	2500	CU	—	—	—
06	—	—	5	Set	2998	70	70	2	1500	CU	—	—	—
07	—	—	10	Set	3001	72	71	2	1500	CU	—	—	—
08	—	—	10	Set	3001	74	73	2	1500	CU	—	—	—
09	—	—	10	Set	3002	77	75	2	1500	CU	—	—	—
10	—	—	10	Set	3002	79	77	2	1500	CU	—	—	—
11	045	4	10	Set	3004	83	79	5	2500	CU	—	—	—
12	040	3	10	Set	3004	84	80	4	2000	CU	—	—	—
13	040	3	10	Set	3003	85	80	4	2000	CU	—	—	—
14	040	3	10	Set	3003	85	81	4	2000	CU	—	—	—
15	040	2	10	Set	3003	84	80	4	2000	CU	—	—	—
16	040	2	10	Set	3000	82	79	4	2000	CU	—	—	—
17	040	2	10	Set	3000	81	79	4	2000	CU	—	—	—
18	040	3	10	Set	3000	80	79	4	2000	CU	—	—	—
19	040	3	10	Set	3001	80	78	4	2000	CU	—	—	—
20	025	3	8	Set	3001	79	78	3	2000	CU	—	—	—
21	025	3	8	Set	3001	78	77	3	2000	CU	—	—	—
22	020	3	8	Set	3001	77	76	3	2000	CU	—	—	—
23	020	3	8	Set	3000	77	76	3	2000	CU	—	—	—
24	020	3	8	Set	3001	77	76	3	2000	CU	—	—	—

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 Moored starboard side to berth Sierra 18
US Naval Submarine Base Pearl Harbor Hawaii
using standard mooring lines, doubled.
Receiving fresh water, telephone service, and
electrical power from the pier. Material
condition ^{good} ~~poor~~ as per. Ships present include
various units of the US Pacific fleet and
various yard and district small craft.
SOPA is CinCPac Flt.

Am June En 184

04-08 Moored as before. 0730 Mustered crew
at quarters; absentees, none

Am June En 184

APPROVED:

CC Reed Lt.

U.S.N. COMMANDING

EXAMINED:

RD Mason, Ltjg

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNARI (ATF-96) FRIDAY 13 DECEMBER, 1963
(Day) (Date) (Month)

08-12 MOORED AS BEFORE 1006 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL. MADE WEEKLY INSPECTION OF MAGAZINE SPRINKLING SYST AND FLOODING SYSTEM; CONDITIONS SATISFACTORY. CPM

C.P. McKenzie, En, USNR

12-16 MOORED AS BEFORE.

C.P. McKenzie, En, USNR

16-20 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YORE MODIFIED. MUSTERED THE INPORT FIRE PARTY. ABSENTEES: NONE.

C.P. McKenzie, En, USNR

20-24 MOORED AS BEFORE.

C.P. McKenzie, En, USNR

APPROVED:

EXAMINED:

CC Reed Lt.

U.S.N. COMMANDING

RO Mason, Ltjg

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-MI

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNARI (ATF 96) ZONE DESCRIPTION +10W DATE SATURDAY 14 DECEMBER, 19 63
(Day) (Date) (Month)
AT/PASSAGE FROM PEARL HARBOR, HAWAII TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	020	3	8	SCT	3001	77	76	3	2000	CU	-	-	-
02	020	2	8	SCT	3000	77	76	3	2000	CU	-	-	-
03	025	2	8	SCT	3000	77	76	3	2000	CU	-	-	-
04	020	3	8	BKN	3000	76	75	8	2000	ST/CU	-	-	-
05	020	3	8	BKN	2999	76	75	8	2000	ST/CU	-	-	-
06	025	2	8	SCT	2999	76	75	4	2000	ST/CU	-	-	-
07	000	2	7	SCT	2999	78	76	4	2000	ST/CU	-	-	-
08	000	2	6	SCT	2999	79	77	5	2000	ST/CU	-	-	-
09	000	2	5	OVC	2999	80	77	10	2000	ST/CU	-	-	-
10	000	2	4	OVC	2999	80	77	10	2000	ST/CU	-	-	-
11	000	2	6	SCT	2998	80	77	5	2000	ST/CU	-	-	-
12	005	1	10	BKN	2996	81	77	6	1900	CU	-	-	-
13	005	1	10	BKN	2995	82	76	7	1800	CU	-	-	-
14	005	1	10	BKN	2993	82	75	8	1800	CU	-	-	-
15	000	1	10	BKN	2993	82	75	7	2000	CU	-	-	-
16	000	1	10	BKN	2993	81	75	7	2000	CU	-	-	-
17	000	1	10	BKN	2993	80	74	8	2000	CU	-	-	-
18	000	2	10	BKN	2994	78	73	6	2000	CU	-	-	-
19	000	2	10	SCT	2996	78	73	5	2000	CU	-	-	-
20	000	3	10	SCT	2997	77	73	4	2000	CU	-	-	-
21	000	2	10	SCT	2997	77	72	3	2000	CU	-	-	-
22	000	2	10	SCT	2997	74	72	3	2000	CU	-	-	-
23	000	2	10	SCT	2997	73	71	3	2000	CU	-	-	-
24	350	2	6	SCT	2997	72	70	3	1500	CU	-	-	-

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
50

REMARKS

00-04 MOORED AS STARBOARD SIDE TO IN BERTH SIERRA CPM EIGHTEEN (S-18), U.S. NAVAL SUBMARINE BASE, PEARL HARBOR, HAWAII USING STANDARD MOORING LINES DOUBLED. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. MATERIAL CONDITION YOKO IS SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, DISTRICT, AND YARD CRAFT. SOPA IS CINC PACFLT.

C. P. McKenzie, Ensign, USMR

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATION; ABSENTEES: NONE

C. P. McKenzie, Ensign, USMR

APPROVED: CC Reed Lt. U.S.N. COMMANDING EXAMINED: RS Mason, Ltjg U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPER 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96

SATURDAY 14 DECEMBER 1963
(Day) (Date) (Month)

08-12 MOORED AS BEFORE. 0950 MADE DAILY INSPECTION OF
MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL

JE Lortz
LTJG USN

12-16 MOORED AS BEFORE.

JE Lortz
LTJG USN

16-20 MOORED AS BEFORE 1800 SET MODIFIED MATERIAL
CONDITION YOKO.

JE Lortz
LTJG USN

20-24 MOORED AS BEFORE

JE Lortz
LTJG USN

APPROVED:

CC Reed Lt.

U.S.N. COMMANDING

EXAMINED:

R. Mason, Ltjg

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-MI

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION + low DATE SUNDAY 15 DECEMBER 19 63
(Day) (Date) (Month)
AT/PASSAGE FROM PEARL HARBOR, HAWAII TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	350	2	10	ST	29.97	72	70	3	1800	CU	-	-	-
02	350	4	10	ST	29.97	70	70	3	1800	CU	-	-	-
03	350	4	10	ST	29.97	70	70	3	1800	CU	-	-	-
04	350	2	10	BKN	29.97	72	72	6	1800	CU	-	-	-
05	350	2	10	BKN	29.97	72	72	6	1800	CU	-	-	-
06	350	2	10	BKN	29.97	72	72	6	1800	CU	-	-	-
07	350	2	10	R	29.97	72	72	10	1800	CU	-	-	-
08	010	2	8	OVC	30.00	74	73	10	2500	CU	-	-	-
09	350	1	8	OVC	30.01	77	75	10	2500	CU	-	-	-
10	350	1	8	OVC	30.01	80	77	10	2500	CU	-	-	-
11	350	1	8	BKN	30.01	81	78	8	2500	CU	-	-	-
12	000	1	10	BKN	30.00	82	78	7	2000	CU	-	-	-
13	000	1	10	BKN	30.00	83	79	7	2000	CU	-	-	-
14	000	1	10	BKN	30.00	83	79	6	2000	CU	-	-	-
15	020	1	10	BKN	30.00	82	79	6	2000	CU	-	-	-
16	020	1	10	BKN	30.00	81	78	6	2000	CU	-	-	-
17	020	2	10	BKN	30.00	81	78	6	2000	CU	-	-	-
18	020	2	10	BKN	29.99	80	78	7	2000	CU	-	-	-
19	020	2	10	BKN	29.99	78	77	8	2000	CU	-	-	-
20	020	2	10	ST	29.99	76	75	5	2000	CU	-	-	-
21	040	3	10	ST	29.98	75	75	5	2000	CU	-	-	-
22	040	3	10	ST	29.98	74	74	5	2000	CU	-	-	-
23	040	2	10	ST	29.98	73	73	5	2000	CU	-	-	-
24	040	2	10	ST	29.98	70	70	4	2000	CU	-	-	-

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

04-04 MOORED STARBOARD SIDE TO IN BERTH SIERRA EIGHTEEN
US NAVAL SUBMARINE BASE, PEARL HARBOR, HAWAII WITH STANDARD
MOORING LINES DOWNED. MODIFIED MATERIAL CONDITION YOKE SET.
RECEIVING ~~EXTRE~~ ELECTRICAL POWER, FRESH WATER, AND TELEPHONE
SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS
OF US PACIFIC FLEET, YARD, AND DISTRICT CRAFT. SAPA IS
CINCPACFLT.

SE South
LTJG USN

04-06. MOORED AS BEFORE. 0745 MUSTERED CREW ON STATIONS
ABSENTS NONE.

SE South
LTJG USN

APPROVED:

CC Reed Lt.

U.S.N. COMMANDING

EXAMINED:

RSW/asn

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

Abnalc (ATF-96)

Sunday 15 Dec 63
(Day) (Date) (Month)

08-12 MOORED AS before. 0920 MADE daily inspection of
MAGAZINE AND smokeless powder samples. 0925 COMASWFORPAC
ASSUMED duties of SOPA.

RS Mason
Ltjg, USNR

12-16 MOORED AS before

RS Mason
Ltjg, USNR

16-20 MOORED AS before. 1800 SET MATERIAL condition
Yoke (Modified).

RS Mason
Ltjg, USNR

20-24 MOORED AS before.

RS Mason, Ltjg, USNR

APPROVED:

CC Breed Lt.

U.S.N. COMMANDING

EXAMINED:

RS Mason, Ltjg

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-MI

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 W DATE Monday 16 December 1963
AT/PASSAGE FROM PEARL HARBOR, Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	2	10	ScT	29.98	70	70	4	2000	CU	—	—	—
02	040	1	10	ScT	29.97	70	70	3	2000	CU	—	—	—
03	040	1	10	ScT	29.97	70	70	3	2000	CU	—	—	—
04	040	1	10	ScT	29.96	70	70	3	2000	CU	—	—	—
05	030	1	10	ScT	29.96	70	70	3	2000	CU	—	—	—
06	030	1	10	ScT	29.95	70	70	3	2000	CU	—	—	—
07	030	1	10	ScT	29.94	71	70	3	2000	CU	—	—	—
08	020	1	8	ScT	29.93	71	70	3	2000	ST/CU	—	—	—
09	020	1	8	ScT	29.94	76	74	3	2000	ST/CU	—	—	—
10	020	1	8	ScT	29.95	78	76	3	2000	ST/CU	—	—	—
11	020	1	8	ScT	29.98	89	80	3	2000	ST/CU	—	—	—
12	020	2	10	ScT	29.90	88	78	5	2000	CU	—	—	—
13	020	2	10	ScT	29.90	88	78	5	2000	CU	—	—	—
14	020	2	10	ScT	29.90	89	78	5	2000	CU	—	—	—
15	020	2	10	ScT	29.90	88	78	5	2000	CU	—	—	—
16	020	1	10	ScT	29.92	87	78	3	2000	CU	—	—	—
17	040	1	10	ScT	29.92	87	78	3	2000	CU	—	—	—
18	040	1	10	ScT	29.92	87	78	3	2000	CU	—	—	—
19	040	1	10	ScT	29.92	85	77	3	2000	CU	—	—	—
20	040	1	10	ScT	29.94	84	77	3	2000	CU	—	—	—
21	040	1	10	ScT	29.94	81	76	4	2000	CU	—	—	—
22	040	1	10	ScT	29.93	77	75	4	2000	CU	—	—	—
23	040	1	10	ScT	29.93	75	73	4	2000	CU	—	—	—
24	050	1	10	ScT	29.95	74	72	4	2000	CU	—	—	—

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04. MOORED STARBOARD side to berth Sierra 18, U.S. NAVAL Submarine Station Base, Pearl Harbor Hawaii with ^{bow} STANDARD MOORING LINES doubled. Receiving electrical, fresh water and telephone services from the pier. MATERIAL condition Yoke modified is set. Ships present include various units of the U.S. Pacific Fleet, yard and district craft. SOPA is COMASWFOR PAC.

RS Masen, Ltjg, USNR

04-08 MOORED AS before. 0730 MUSTERED The crew at quarters. ABSENTEES NONE.

RS Masen, Ltjg, USNR

APPROVED: CC Reed Lt. U.S.N. COMMANDING EXAMINED: RS Masen, Ltjg U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Monday 16 December, 1963
(Day) (Date) (Month)

08-12 moored as before. 1015 made daily inspections of magazines and smokeless powder samples, conditions normal.

J. L. Hollis, CWO2, USN

12-16 moored as before.

J. L. Hollis, CWO2 USN

16-20 moored as before. 1800 set material condition yoke (modified) 1830 mustered the ship's damage control party. absentees: none.

J. L. Hollis, CWO2 - USN

20-24 moored as before;

J. L. Hollis, CWO2 USN

APPROVED:

C. C. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

R. M. Morn, Stjg

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY

NAVY-DPPO-12ND-MI

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNARI (ATF-96) ZONE DESCRIPTION +10 W DATE Tuesday 17 December, 1963
(Day) (Date) (Month)
AT/PASSAGE FROM PEARL HARBOR, Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	060	1	10	SCT	29.95	74	72	4	2000	CU			
02	060	2	10	SCT	29.94	74	72	4	2000	CU			
03	060	3	10	SCT	29.94	73	71	4	2000	CU			
04	060	3	10	SCT	29.96	73	71	4	2000	CU			
05	060	3	10	SCT	29.96	73	71	4	2000	CU			
06	060	2	10	SCT	29.98	75	72	4	2000	CU			
07	060	2	10	SCT	29.99	76	73	4	2000	CU			
08	040	1	10	BKN	29.95	73	72	9	1000	ST/CU			
09	040	1	10	OVC	29.97	76	73	10	1000	ST/CU			
10	040	4	10	BKN	29.99	80	76	7	1500	ST/CU			
11	040	4	10	BKN	29.99	79	76	6	1500	ST/CU			
12	060	4	10	SCT	29.98	82	76	5	1500	CU			
13	060	5	10	SCT	29.96	84	77	5	1500	CU			
14	060	5	10	SCT	29.94	86	77	3	2000	CU			
15	060	5	10	SCT	29.92	85	77	2	2000	CU			
16	060	6	10	SCT	29.90	85	77	2	2000	CU			
17	060	5	10	SCT	29.90	85	77	2	2000	CU			
18	060	5	10	SCT	29.90	78	74	2	2000	CU			
19	060	5	8	SCT	29.91	76	73	2	2000	CU			
20	060	3	8	SCT	29.91	76	73	2	2000	CU			
21	040	3	8	SCT	29.91	74	72	2	2000	CU			
22	040	3	8	SCT	29.91	72	71	2	2000	CU			
23	040	3	8	SCT	29.91	71	70	2	2000	CU			
24	040	3	8	SCT	29.91	70	69	2	2000	CU			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 moored starboard side to Sierra 18 Berth, U.S. Naval Submarine Base, Pearl Harbor, Hawaii, with 20H standard mooring lines doubled. Receiving Electrical, potable water and telephone services from the pier. Material Condition Yoke (Modified) set. Ships present include various units of the U.S. Pacific Fleet, district and small craft. SOPA is COMASWFORPAC.

Jal. Hollis. CWO 2, USN

04-08 moored as before; 0730 mustered the crew at Quarters; Absentees: none

Jal. Hollis. CWO 2, USN

APPROVED:

C. C. Reed Lt.

U. S. N. COMMANDING

EXAMINED:

R. S. Mason, Ltjg

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96

Tuesday 17 December 1963
(Day) (Date) (Month)

08-12 moored as before 0917 made daily inspection of magazine and smokeless powder samples. Condition Normal.

Mr Turner Encl 404

12-16 moored as before.

Mr Turner Encl 404

16-20 moored as before. 1800 Set material condition yoke modified.

Mr Turner Encl 404

20-24 moored as before.

Mr Turner Encl 404

APPROVED:

C Reed Lt.

U.S.N. COMMANDING

EXAMINED:

RS Mason, Ltjg

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY

NAVY-DPPO-12ND-MI

OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION 110W DATE Wednesday 18 December, 19 63
(Day) (Date) (Month)
AT/PASSAGE FROM Pearl Harbor, Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	3	8	Sct	29.91	70	69	2	2000	CU			
02	040	3	8	Sct	29.91	69	69	2	2000	CU			
03	040	3	8	Sct	29.91	68	69	2	2000	CU			
04	040	3	6	Sct	29.92	68	69	2	1500	CU			
05	040	3	6	Sct	29.92	68	69	2	1500	CU			
06	035	3	6	Sct	29.93	67	68	2	1500	CU			
07	040	3	10	Sct	29.93	69	69	2	1500	CU			
08	060	5	10	Sct	29.93	70	69	2	2500	CU			
09	040	3	10	Sct	29.94	76	74	2	2500	CU			
10	040	2	10	Sct	29.95	79	74	2	2500	CU			
11	040	3	10	Sct	29.94	83	78	2	2500	CU			
12	190	2	8	Sct	29.94	84	78	3	2500	CU			
13	200	2	8	Sct	29.93	83	77	3	2500	CU			
14	200	3	8	Sct	29.92	82	76	3	2500	CU			
15	200	3	8	Sct	29.90	81	75	3	2500	CU			
16	200	3	8	Sct	29.90	80	73	4	2500	CU			
17	010	4	8	Sct	29.90	81	73	3	2000	CU			
18	010	4	8	Sct	29.90	80	73	3	2000	CU			
19	010	4	8	Sct	29.90	78	72	3	2000	CU			
20	020	4	8	Sct	29.91	78	72	4	2000	CU			
21	020	4	8	Sct	29.92	77	72	4	2000	CU			
22	020	3	8	Sct	29.93	76	71	4	2000	CU			
23	020	3	8	Sct	29.93	73	71	2	2000	CU			
24	030	4	8	Sct	29.93	70	70	2	2000	CU			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 moored starboard side to berth 18, 45. Naval Submarine Base, Pearl Harbor, Hawaii, using standard mooring lines, ^{doubled} receiving fresh water electrical power and telephone service from the pier. Material completion yoke modified is set. Ships present include various units of the US Pacific Flt and various yard and district small craft. SOPA is ASWFORPAC

Mr. James Ennis

04-08 moored as before. 0730 mustered crew at quarters, absentees, none.

Mr. James Ennis

APPROVED:

C. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

R. Mason, Stig

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI

ATF 96

WEDNESDAY ¹⁸~~19~~ DECEMBER 1953
(Day) (Date) (Month)

08-12 MOORED AS BEFORE. 1010 MADE DAILY INSPECTION
OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS: NORMAL.

C. P. McKenzie, En, USNR

12-16 MOORED AS BEFORE. 1215 MAY, HAROLD GLENN JR. ^{DR}
QM 3, 540 12 34 DEPARTED SHIP FOR DISCHARGE AT US NAVY ^{PR}
RECSTA, T I, SAN FRANCISCO, CALIF. ^{EN}

C. P. McKenzie, En, USNR

16-20 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION
MORE MODIFIED. MUSTERED THE INPORT FIRE PARTY. ABSENTS:
NONE.

C. P. McKenzie, En, USNR

20-24 MOORED AS BEFORE.

C. P. McKenzie, En, USNR

APPROVED:

C. C. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

D. D. Mason, Ltjg

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-M1

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATE-96) ZONE DESCRIPTION + 10 W DATE THURSDAY 19 DECEMBER, 19 63
(Day) (Date) (Month)
AT/PASSAGE FROM PEARL HARBOR, HAWAII TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMP-ER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	020	3	8	SC	29.93	70	70	2	2000	CU			
02	020	3	8	SC	29.93	70	70	2	2000	CU			
03	020	3	8	SC	29.94	70	70	2	2000	CU			
04	010	1	5	SC	29.95	69.5	70	2	2000	CU			
05	010	1	5	SC	29.95	69	69	2	2000	CU			
06	010	1	5	SC	29.95	69	69	2	2000	CU			
07	020	2	8	SC	29.96	71	71	2	2000	CU			
08	040	2	10	SC	30.00	72	71	1	2000	CU			
09	040	2	10	SC	30.00	72	71	1	2000	CU			
10	040	2	10	SC	30.00	78	76	2	2000	CU			
11	040	2	10	SC	30.01	80	76	3	2000	CU			
12	050	2	10	SC	30.01	83	79	3	2000	ST/CU			
13	050	1	10	SC	30.01	83	79	3	2000	ST/CU			
14	050	3	10	BKN	30.00	80	80	8	2000	ST/CU			
15	040	1	10	BKN	29.99	81	80	6	2000	ST/CU			
16	045	2	10	CLR	29.97	81	79	-	-	-			
17	045	2	10	CLR	29.98	81	79	-	-	-			
18	045	3	10	CLR	30.00	83	80	-	-	-			
19	045	3	10	CLR	30.00	83	81	-	-	-			
20	040	3	10	SC	30.00	80	79	2	2000	CU			
21	040	3	10	SC	30.00	79	78	2	2000	CU			
22	040	2	10	SC	30.00	75	75	2	2000	CU			
23	040	2	10	SC	30.00	74	74	1	2000	CU			
24	040	2	10	SC	30.00	71	71	3	2000	CU			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-07 MOORED STARBOARD SIDE TC IN BERTH SIERRA EIGHTEEN (S-18) US NAVAL SUBMARINE BASE, PEARL HARBOR HAWAII WITH STANDARD MOORING LINES DOUBLED. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. MATERIAL CONDITION WKE MODIFIED IS SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, DISTRICT AND YARD CRAFT. SOPA IS COMASWFORPAC.

C. P. McKenjie, CM, USNR

08-08 MOORED AS BEFORE. 0730 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

C. P. McKenjie, CM, USNR

APPROVED:

EXAMINED:

C. P. McKenjie

U.S.N. COMMANDING

R. P. Mason, Ltjg

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

Abnaki (ATF-96)

Thursday 19 Dec 63

(Day)

(Date)

(Month)

19

08-12 MOORED AS before. 0945 Made daily inspection of MAGAZINE and smokeless powder samples. Conditions SATISFACTORY. 0945 The CAPTAIN departed on Three days leave.

PS Mason
Sgt, USNR

12-16 MOORED AS before.

PS Mason
Sgt, USNR

16-20 MOORED AS before. 1800 SET MATERIAL condition Yoke (Mod. Fiedl).

PS Mason
Sgt, USNR

20-24 MOORED AS before.

PS Mason
Sgt, USNR

APPROVED:

C. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

PS Mason, Sgt

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-MI

OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10 W DATE Friday 20 Dec, 19 63
(Day) (Date) (Month)
AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	040	2	10	SCT	3000	70	70	3	2000	CW			
02	040	2	10	SCT	3000	69	70	3	2000	CW			
03	040	2	10	SCT	3001	68	70	3	2000	CW			
04	040	1	10	SCT	29.99	67	68	2	2000	CW			
05	040	1	10	SCT	3000	70	69	2	2000	CW			
06	—	—	10	SCT	3002	71	69	1	2000	CW			
07	—	—	10	CLR	3003	71	70	—	—	—			
08	—	—	10	CLR	3004	73	70	—	—	—			
09	—	—	10	CLR	3004	76	74	—	—	—			
10	—	—	10	CLR	3004	78	74	—	—	—			
11	—	—	10	CLR	3004	81	75	—	—	—			
12	210	4	10	SCT	3001	82	75	2	2700	CW			
13	210	4	10	SCT	2999	83	75	2	2700	CW			
14	210	4	10	SCT	2998	82	76	2	2500	CW			
15	190	4	10	SCT	2997	81	76	2	2500	CW			
16	—	—	10	SCT	2997	80	75	4	2500	CW			
17	—	—	10	SCT	2997	78	75	4	2000	CW			
18	—	—	10	BKN	2998	76	74	8	2000	CW			
19	040	2	10	SCT	2998	75	73	5	2000	CW			
20	040	2	10	SCT	2999	73	72	5	2000	CW			
21	040	3	10	SCT	2999	72	71	4	2000	CW			
22	040	3	10	SCT	2999	70	70	3	2000	CW			
23	040	1	10	SCT	2997	70	70	2	2000	CW			
24	040	1	10	SCT	2998	69	69	3	2000	CW			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

0

REMARKS

00-04 MOORED STARSIDE TO berth Sierra 18. U.S. NAVAL
SUBMARINE BASE, Pearl Harbor, Hawaii with standard
mooring lines doubled. Receiving fresh water, electrical,
and telephone services from the pier. Material condition
Yoke (modified) is SET. Ships present include various
units of the U.S. Pacific Fleet. SOPA is COMASWFORPAC

DS Nasen
Ltjg, USN

04-08 MOORED as before. 0730 MUSTERED the crew at
quarters. Absentees: NONE

DS Nasen, Ltjg, USN

APPROVED:

CC Beed Lt.

U.S.N. COMMANDING

EXAMINED:

DS Nasen, Ltjg

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Friday 20 December, 1963
(Day) (Date) (Month)

0800-1200 moored as before; 0925 made daily inspection of magazines and smokeless powder samples, conditions normal. Conducted weekly test and inspection of magazine sprinkling system, test satisfactory. 1143 USS TAWAKONI (ATF-114) moored out board to portside.

J.L. Hallis. CWO2- USN

12-16 moored as before.

J.L. Hallis. CWO2- USN

16-20 moored as before; 1800, set material conditions (modified) - 1830 mustered the inspect duty fire party, absentees, none.

J.L. Hallis. CWO2 USN

20-24 moored as before.

J.L. Hallis. CWO2- USN

APPROVED:

C. Reed H.

U.S.N. COMMANDING

EXAMINED:

R. J. Mason, Jr.

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-MI

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 W DATE Saturday 21 December, 19 63
(Day) (Date) (Month)
AT/PASSAGE FROM PEARL HARBOR, Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	040	3	10	SET	29.98	69	68	3	2000	CU			
02	040	3	10	SET	29.98	68	68	4	2000	CU			
03	040	3	10	SET	29.98	67	67	5	2000	CU			
04	040	3	10	SET	29.98	68	68	4	2000	CU			
05	045	3	10	SET	29.97	65	65	4	2000	CU			
06	050	3	10	SET	29.97	65	65	4	2000	CU			
07	040	5	10	SET	29.98	66	65	5	2000	CU			
08	045	5	10	SET	29.98	69	66	5	2000	CU			
09	045	5	10	SET	29.98	73	69	5	2000	CU			
10	045	4	10	SET	29.98	76	70	5	2000	CU			
11	045	3	10	SET	29.98	79	71	5	2000	CU			
12	045	5	10	SET	29.99	80	77	5	2000	CU			
13	045	5	10	SET	29.99	80	77	5	2000	CU			
14	045	5	10	SET	29.98	71	71	5	2000	CU			
15	045	5	10	SET	29.98	70	70	5	2000	CU			
16	040	4	10	SET	29.98	70	69	4	2000	CU			
17	040	4	10	SET	29.98	70	69	4	2000	CU			
18	040	4	10	SET	29.97	73	70	4	2000	CU			
19	040	3	10	SET	29.97	73	70	4	2000	CU			
20	040	2	10	SET	29.97	72	71	3	2000	CU			
21	040	2	10	SET	29.98	72	71	3	2000	CU			
22	040	2	10	SET	29.99	71	70	3	2000	CU			
23	040	1	10	SET	29.99	70	69	3	2000	CU			
24	040	2	10	SET	29.98	69	68	3	2000	CU			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 Moored starboard side to Buith Sierra 18 U.S. Naval Submarine Base Pearl Harbor, Hawaii. ^{USS TAWAKONI (ATF-114) moored out board to port.} Lines doubled. Receiving electrical power, potable water and telephone service from the pier. Material condition good (modified) set. Ships present include various units of the U.S. Pacific Fleet, district and small craft. S.O.P.A. is CinCPacFLT.

Jed. Hollis CWO-2, USN

04-08 Moored as before: 0745 mustered the crew on stations. Absentees: none.

Jed. Hollis CWO-2, USN

APPROVED:

EXAMINED:

C. C. Reed Lt.

U.S.N. COMMANDING

R. M. Mason, Ltjg

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96

Saturday 21 December, 1963
(Day) (Date) (Month)

08-12 Moored as before 0810 Made daily inspection
of magazines and smokeless powder samples.
conditions normal.

Am Janner Encl 484

12-16 Moored as before.

Am Janner Encl 484

16-20 Moored as before 1800 Set material
condition yoke modified

Am Janner Encl 484

20-24 Moored as before.

Am Janner Encl 484

APPROVED:

C C Bad Lt.

U.S.N. COMMANDING

EXAMINED:

R S Mason, Stij

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY

NAVY-DPPO-12ND-MI

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION T10W DATE Sunday 22 December 19 63
(Day) (Date) (Month)
AT/PASSAGE FROM Pearl Harbor Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	020	2	7	Sct	29.98	66	64	5	2000	CU			
02	020	2	7	Sct	29.98	66	64	5	2000	CU			
03	020	2	8	Sct	29.99	67	64	5	2000	CU			
04	020	2	8	Sct	30.00	68	65	5	2000	CU			
05	040	2	8	Sct	30.01	68	65	5	2000	CU			
06	040	2	8	Sct	30.03	70	66	4	2000	CU			
07	040	3	8	Sct	30.05	71	66	4	2000	CU			
08	040	3	10	Sct	30.05	74	67	4	2000	CU			
09	040	4	10	Sct	30.06	75	68	4	2000	CU			
10	040	4	10	Sct	30.06	78	70	4	2000	CU			
11	040	4	10	Sct	30.06	79	70	4	2000	CU			
12	040	4	10	Sct	30.06	80	72	3	2000	CU			
13	040	3	10	Sct	30.05	82	72	3	2000	CU			
14	040	3	10	Sct	30.05	83	74	3	2000	CU			
15	040	3	10	Sct	30.05	83	74	3	2000	CU/ST			
16	060	3	10	Sct	30.04	81	72	3	1900	ST			
17	060	3	10	Sct	30.04	80	72	3	1900	ST			
18	060	3	10	Sct	30.03	80	72	3	1700	ST			
19	060	3	10	Sct	30.03	79	70	4	1700	ST			
20	060	3	10	Sct	30.03	79	70	5	1700	ST			
21	060	2	10	Sct	30.03	78	70	5	1700	ST			
22	060	2	10	Sct	30.02	76	68	5	1700	ST			
23	060	2	10	Sct	30.01	76	68	5	1700	ST			
24	060	2	10	Sct	30.01	75	68	5	1700	ST			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 Moved starboard side to berth Seima 18 US
Naval Submarine Base, Pearl Harbor, Hawaii using
standard mooring lines. Doubled. USS Tawakoni (ATF-114)
is tied outboard. Receiving electrical power, water,
and telephone service from the pier. Material
condition Yoke modified is set. Ships present
include various units of the US Pacific Fleet, and
various yard and District small craft.
SOPA is CMC Pac Flt.

Am Turner En USN

04-08 Moved as before. 0745 mustered the crew
on station absentees none.

Am Turner En USN

APPROVED:

EXAMINED:

C Reed Lt.

U.S.N. COMMANDING

RS Mason, Stg

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI

(ATF 96)

SUNDAY 22 DECEMBER 1963
(Day) (Date) (Month)

08-12 MOORED AS BEFORE. 0803 ~~REC~~ MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS: NORMAL.

C. P. McKenzie, CM, USMR

12-16 MOORED AS BEFORE.

C. P. McKenzie, EM, USMR

16-20 MOORED AS BEFORE. 1800 MUSTERED THE INPORT FIRE PARTY. ABSENTEES: NONE. 1800-1815 SET CONDITION ON YOKE MODIFIED.

C. P. McKenzie, EM, USMR

20-24 MOORED AS BEFORE.

C. P. McKenzie, EM, USMR

APPROVED:

C. P. McKenzie

U.S.N. COMMANDING

EXAMINED:

R. D. Mason, Ltjg

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-MI

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNARI (ATF 96) ZONE DESCRIPTION _____ DATE MONDAY 23 DECEMBER, 19 62
 AT/PASSAGE FROM Pearl Harbor, Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	060	2	8	Sct	30.00	74	68	5	1700	ST			
02	060	2	8	Sct	30.00	73	68	5	1700	ST			
03	040	2	8	Sct	30.00	72	66	5	2000	ST			
04	040	2	9	Sct	30.02	72	66	5	2000	ST			
05	040	2	9	Sct	30.03	73	66	5	2000	CU			
06	040	3	10	Sct	30.05	73	67	5	2000	CU			
07	040	4	10	Sct	30.07	74	69	5	2000	CU			
08	040	4	10	Sct	30.11	74	69	5	2000	CU			
09	040	4	10	Sct	30.12	75	69	5	2000	CU			
10	040	4	10	Sct	30.13	78	72	5	2000	CU			
11	040	4	10	BKN	30.13	79	72	7	1800	CU			
12	040	4	10	BKN	30.14	79	73	7	1700	CU			
13	040	3	10	BKN	30.14	80	75	7	1700	CU			
14	040	3	10	BKN	30.12	80	75	7	1500	CU			
15	040	3	10	BKN	30.10	80	75	7	1500	CU			
16	040	3	10	BKN	30.09	89	75	7	1500	CU			
17	030	4	10	Sct	30.06	79	73	4	1600	CU			
18	030	4	10	Sct	30.05	77	73	6	1700	CU			
19	030	4	10	Sct	30.05	76	70	6	1900	CU			
20	030	4	10	Sct	30.04	74	70	5	1900	CU			
21	030	3	10	Sct	30.03	70	66	5	1900	CU			
22	040	3	10	Sct	30.02	69	66	5	1900	CU			
23	040	3	10	Sct	30.00	68	64	5	1900	CU			
24	040	3	10	Sct	29.99	68	64	5	1900	CU			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
 2 - ELECTRONIC
 3 - VISUAL
 4 - D. R.

CURRENT DATA
FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 MOORED STARBOARD SIDE TO IN BERT SIERRA EIGHTEEN (S-18) U.S. NAVAL SUBMARINE BASE PEARL HARBOR, HAWAII. USS TAWANOKI (ATF 114) MOORED OUTBOARD TO PORT, USING STANDARD MOORING LINES DOORDED RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. MATERIAL CONDITION YORE MODIFIED IS SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, DISTRICT, AND YARD CRAFT. SOPA IS CINC PACFLT.

C. P. McKenney, USN

04-08 MOORED AS BEFORE. 0730 MUSTERED THE CREW AT QUARTERS ABSENTEES: NONE. CAPTAIN RETURNED FROM Three days leave.

C. P. McKenney, USN

APPROVED:

EXAMINED:

C. C. Reed, Lt.

U.S.N. COMMANDING

St

D. S. Mason, Slt

U.S.N. NAVIGATOR

re

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96)Monday 23 December, 1963
(Day) (Date) (Month)

08-12 moored as before; 1015 made daily inspections of magazines and smokeless powder samples, conditions: normal.

J. L. Hallis, CWO 2, USN

12-16 moored as before.

J. L. Hallis, CWO 2, USN

16-20 moored as before. 1800 sat down material condition not yoke. (modified) 1830 mustered the Duty, Rescue and assistance detail. absentees: none.

J. L. Hallis, CWO 2, USN

20-24 moored as before.

J. L. Hallis, CWO 2, USN

APPROVED:

C. C. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

R. M. Mason, Lt.

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-MI

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ARNAKI (ATF-96) ZONE DESCRIPTION 1-10-W DATE Tuesday 24 December, 1963
AT/PASSAGE FROM PEARL HARBOR, Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	240	2	9	Sct	30.00	67	63	5	1900	CU			
02	220	2	9	Sct	30.02	67	62	4	2000	CU			
03	220	1	9	Sct	30.05	66	60	4	2000	CU			
04	200	1	9	Sct	30.07	65	60	2	2000	CU			
05	200	1	9	CLR	30.10	66	62	-	-	-			
06	200	1	10	CLR	30.11	68	62	-	-	-			
07	200	1	10	CLR	30.13	68	64	-	-	-			
08	200	1	10	CLR	30.15	70	64	-	-	-			
09	350	1	10	CLR	30.15	72	66	-	-	-			
10	350	1	10	CLR	30.15	75	68	-	-	-			
11	350	1	10	CLR	30.13	79	70	-	-	-			
12	350	1	10	CLR	30.11	82	74	-	-	-			
13	000	1	10	CLR	30.09	83	76	-	-	-			
14	000	-	10	Sct	30.08	85	77	1	2000	CU			
15	000	-	10	Sct	30.06	85	77	1	2000	CU			
16	000	-	10	Sct	30.04	83	74	2	2000	CU			
17	020	1	10	Sct	30.03	82	72	2	2000	CU			
18	020	1	10	Sct	30.02	80	72	3	2000	CU			
19	020	1	9	Sct	30.00	78	70	3	2000	CU			
20	020	1	9	Sct	29.99	77	69	3	2000	CU			
21	040	1	9	Sct	29.99	76	68	3	2000	CU			
22	040	1	8	Sct	29.99	74	68	3	2000	CU			
23	040	2	8	Sct	29.98	71	66	3	2000	CU			
24	040	2	8	Sct	29.98	69	65	3	2000	CU			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 moored starboard side to Berth Sierra 18 U.S. Naval Submarine Base, Pearl Harbor, Hawaii with standard mooring lines doubled, in a net of two ships, USS TAWAKONI (ATF-114) moored outboard to port. Material condition yoke (modified) set. Receiving electrical power, potable water and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet, district and small craft. S.O.P.A. is in effect.

J. H. Hollis. CWO-2. USN

04-08 moored as before; 0730 mustered the crew at deck quarters; Absentees: none

J. H. Hollis. CWO-2. USN

APPROVED: C. Reed Lt. U.S.N. COMMANDING EXAMINED: R. J. Mason Ltjg. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

Abnaki (ATF-96)

Tuesday 27 Dec 1963
(Day) (Date) (Month)

08-12 moored as before. 0824 Karns, W.L. Jr. RMN
reported on board for duty. 0945 made daily inspection
of magazines and smokeless powder samples,
conditions normal.

Am Jumer Encl 15th

12-16 moored as before

Am Jumer Encl 15th

16-20 moored as before 1800 set material
condition yoke modified

Am Jumer Encl 15th

20-24 moored as before

Am Jumer Encl 15th

APPROVED:

C. Brad St.

U.S.N. COMMANDING

EXAMINED:

R. S. Mason, Hy

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-M1

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10 W DATE Wednesday 25 Dec 1963
AT/PASSAGE FROM Pearl Harbor, Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	444	2	8	Sct	29.99	69	65	3	2000	CU			
02	404	2	8	Sct	29.99	70	66	3	2000	CU			
03	354	3	8	Sct	29.98	70	66	3	2000	CU			
04	354	3	8	Sct	29.97	72	69	4	2000	CU			
05	304	3	9	Sct	29.96	74	70	4	2000	CU			
06	304	4	9	Sct	29.96	75	71	5	2000	CU			
07	294	4	10	Sct	29.95	77	72	5	2000	CU			
08	294	4	10	Sct	29.95	79	73	5	2000	CU			
09	274	4	10	Sct	29.95	79	73	6	2000	CU			
10	274	4	10	Sct	29.95	80	74	6	2000	CU			
11	270	4	10	Sct	29.96	80	75	6	2000	CU			
12	254	4	10	Sct	29.96	81	75	6	2000	CU			
13	254	6	10	Sct	29.96	83	77	6	2000	CU			
14	254	6	10	Sct	29.97	82	76	6	2000	CU/ST			
15	254	6	10	Sct	29.98	81	74	6	2000	ST			
16	254	6	10	Sct	29.98	81	75	4	2000	ST			
17	224	6	10	Sct	30.00	80	74	4	2000	ST			
18	224	5	9	Sct	30.00	78	73	4	2000	ST			
19	224	4	9	Sct	30.00	78	70	3	2000	ST			
20	244	3	8	Sct	30.00	77	70	3	2000	ST			
21	244	2	8	Sct	30.01	77	69	3	2000	ST			
22	244	2	8	Sct	30.01	76	69	3	2000	ST			
23	244	2	8	Sct	30.02	76	69	3	2000	ST			
24	244	2	8	Sct	30.02	76	68	3	2000	ST			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400
0

REMARKS

CHRISTMAS DAY
00-04 Moored starboard side to berth Sierra eighteen (18)
US Naval Submarine Base using standard
mooring lines. The USS Tiguakoni (ATF-114) is
moored outboard to port, providing fresh water
electrical power, and telephone service from
the pier. Ships present include various units
of the US Pacific Fleet, various yard and district
small craft. Material condition code modified
is set. SOPA is CinCPac Flt. *Am Jume, 18/12/63*

04:08 Moored as before. 0745 mustered crew on
station absentees, none. *Am Jume, 18/12/63*

APPROVED: *CP Reed Lt.* U.S.N. COMMANDING
EXAMINED: *RS Mason, Sty* U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

Abnaki (ATF-96)

Wednesday 25 Dec 1963
(Day) (Date) (Month)

08-12 MOORED AS BEFORE. 0813 MUSTERED THE CREW ON STATIONS. ABSENTEES: NONE. 1125 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS: NORMAL.

C. P. McKenzie, En, USNR

12-16 MOORED AS BEFORE.

C. P. McKenzie, En, USNR

16-20 MOORED AS BEFORE. 1750 MUSTERED THE IMPORT DUTY FIRE PARTY. ABSENTEES: NONE. SET CONDITIONS WERE MODIFIED.

C. P. McKenzie, En, USNR

20-24 MOORED AS BEFORE.

C. P. McKenzie, En, USNR

APPROVED:

C. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

R. D. Mason, Ltjg

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-MI

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10 w DATE Thursday 26 Dec, 19 63
(Day) (Date) (Month)
AT/PASSAGE FROM Pearl Harbor, Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	040	3	10	CLR	2998	79	79	-	-	-			
02	040	3	10	CLR	2999	79	78	-	-	-			
03	040	3	10	CLR	3000	79	78	-	-	-			
04	040	4	10	CLR	3000	80	79	-	-	-			
05	044	4	10	CLR	3000	81	79	-	-	-			
06	044	4	10	CLR	3001	82	80	-	-	-			
07	040	4	10	CLR	3002	83	80	-	-	-			
08	040	4	10	CLR	3003	85	81	-	-	-			
09	040	4	10	CLR	3004	87	82	-	-	-			
10	040	4	10	CLR	3003	88	83	-	-	-			
11	040	4	10	CLR	3002	87	83	-	-	-			
12	040	4	10	CLR	3001	86	82	-	-	-			
13	040	4	10	CLR	3001	84	81	-	-	-			
14	040	3	10	CLR	3000	83	80	-	-	-			
15	040	3	10	CLR	2999	82	80	-	-	-			
16	040	3	10	CLR	2999	81	79	-	-	-			
17	050	3	10	SCt	2998	80	79	3	2000	ST			
18	060	3	10	SCt	2998	80	79	3	2000	CL			
19	060	3	10	SCt	2997	79	78	5	2000	ST			
20	050	2	10	BKN	2998	79	78	7	1800	ST			
21	040	2	10	BKN	2998	78	77	8	1600	ST			
22	040	2	10	BKN	2999	79	77	8	1600	ST			
23	040	2	10	BKN	2998	79	77	8	1600	ST			
24	040	2	10	OVC	2998	78	77	9	1600	ST			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

0

REMARKS

00-07 MOORED STARBOARD SIDE TO IN BERTH SIERRA EIGHTEEN (S-18) US NAVAL SUBMARINE BASE, PEARL HARBOR HAWAII WITH STANDARD MOORING LINES DOUBLED. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. MATERIAL CONDITION YOKO IS SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, DISTRICT, AND YARD CRAFT SOPA IS CINCPACFLT. THE USS TAWAKONI ATF 114 IS MOORED OUTBOARD TO PORT.

C. P. McDermie, CM, USN

07-08 MOORED AS BEFORE. 0730 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

C. P. McDermie, CM, USN

APPROVED:

C. P. McDermie

U.S.N. COMMANDING

EXAMINED:

R. S. Mason, Styx

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96)Thursday 26 December, 1963
(Day) (Date) (Month)

08-12 moored as before; 0905 made daily inspection of magazines and smokeless powder samples. Conditions: Normal

J. L. Hallis, CWO-2 USN

12-16 moored as before.

J. L. Hallis, CWO-2 USN

16-20 moored as before. 1615 KITE, Delmas W., FN3, 580 19 96 while working in the Electric Shop aboard ship received accidental cut on tip of left index finger. Sent patient to PHNSY Dispensary for treatment. 1720 Kite, Delmas W., FN3 580 19-96 returned to the ship. Injury bandaged at PHNSY Dispensary & returned to duty. ^{not due to open misconnect} 1800 set material Condition yoke (modified) ROK

J. L. Hallis, CWO-2 USN

20-24 moored as before.

J. L. Hallis, CWO-2 USN

APPROVED:

EXAMINED:

R. Reed Lt.

U.S.N. COMMANDING

R. Mason, Stjg

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-MI

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 W DATE Friday 27 December, 19 63
(Day) (Date) (Month)

AT/PASSAGE FROM PEARL HARBOR, Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (Knots)				Dry bulb	Wet bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	070	7	5	R	29.98	68	67	10	800	ST			
02	070	8	5	R	29.99	68	67	10	800	ST			
03	075	6	5	R	29.97	68	67	10	800	ST			
04	040	5	8	OVC	29.96	69	67	9	1000	Cu			
05	040	4	10	BKN	29.96	69	68	8	1000	Cu			
06	040	4	10	BKN	29.97	70	69	8	1200	Cu			
07	060	5	10	BKN	29.97	71	69	8	1200	Cu			
08	060	5	10	SCT	29.98	73	70	6	1400	Cu			
09	060	5	10	SCT	29.99	75	71	6	1400	Cu			
10	055	4	10	BKN	29.99	77	73	7	1600	Cu			
11	050	4	10	SCT	29.99	80	75	6	1600	Cu			
12	045	3	10	SCT	29.99	80	75	5	1700	Cu			
13	040	3	10	SCT	29.99	80	75	5	1700	Cu			
14	040	6	10	SCT	29.99	80	75	5	1800	Cu			
15	040	6	10	SCT	29.99	79	74	5	1800	Cu			
16	055	5	10	SCT	29.99	78	74	5	1800	Cu			
17	060	5	10	SCT	29.99	78	73	5	1900	Cu			
18	060	4	10	SCT	29.98	77	74	4	2200	Cu			
19	045	4	10	SCT	29.98	78	74	4	2300	Cu			
20	040	4	10	SCT	29.99	77	74	4	2400	Cu			
21	040	3	10	SCT	29.99	78	74	4	2500	Cu			
22	040	3	10	SCT	29.98	79	74	5	2500	Cu			
23	100	3	10	SCT	29.98	78	74	5	2250	Cu			
24	100	2	10	SCT	29.95	78	74	5	2500	Cu			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 moored starboard side to Berth Sierra 18, U.S. Naval Submarine Base, Pearl Harbor, Harbor, with standard mooring line doubled, in a neat of two ships USS TAWAKONI (ATF-114) moored out board to port. Material condition up to (modified) set. Receiving Electrical power, potable water and telephone services from the pier. Ships present include various units of The U.S. Pacific Fleet, district and small craft. S.O.P.A. is Cin Pac Flt.

Jal. Hollis. CWO2 USN

04-08 moored as before; 0730 mustered the crew at Quarters. Absentees: none.

Jal. Hollis. CWO2 USN

APPROVED:

C. C. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

R. M. Mason, Sty

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

ABNAKI ATF-96

Friday 27 December, 1963
(Day) (Date) (Month)

08-12 Moored as before. 0850 made daily inspection of magazines and smokeless powder samples condition normal. Made weekly test of magazine sprinkler system, test satisfactory. 0923 make preparations to shift to Sierra 18 aft. 0935 commenced shifting berths, dead plant, 0948 moored at Sierra 18 aft.

Am Turner Encl 18th

12-16 Moored as before

Am Turner Encl 18th

16-20 Moored as before 1800 set material condition yoke modified.

Am Turner Encl 18th

20-24 Moored as before

Am Turner Encl 18th

APPROVED:

CC Breed Lt

U.S.N. COMMANDING

EXAMINED:

R. M. Mason, Htg

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-MI

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-66 ZONE DESCRIPTION HOW DATE Saturday 28 December, 19 63
(Day) (Date) (Month)

AT/PASSAGE FROM Lea Harbor Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	3	8	BKN	29.98	69	68	8	1200	Cu			
02	040	3	8	BKN	29.97	69	68	8	1200	Cu			
03	040	3	8	BKN	29.97	69	68	8	1200	Cu			
04	040	3	8	BKN	29.96	70	68	8	1200	Cu			
05	045	3	8	BKN	29.94	71	69	8	1200	St			
06	045	2	8	BKN	29.96	72	70	8	1200	St			
07	045	2	8	BKN	29.97	73	70	8	1000	St			
08	050	2	8	Sct	29.99	72	69	5	1000	St			
09	050	2	8	Sct	29.98	73	69	5	1000	St			
10	050	2	8	OVC	29.98	72	69	10	1000	St			
11	050	2	8	R	29.98	71	69	10	1000	St			
12	050	2	8	R	29.98	70	69	10	1000	St			
13	050	2	8	L	29.98	72	69	9	1000	Cu			
14	050	2	8	OVC	29.98	73	69	10	1000	Cu			
15	050	2	8	OVC	29.98	75	69	10	1000	Cu			
16	050	2	8	BKN	29.98	75	69	8	1000	Cu			
17	040	2	8	BKN	29.98	72	69	8	1000	Cu			
18	030	2	8	BKN	29.98	71	69	8	1000	Cu			
19	020	2	8	BKN	29.98	70	69	8	1000	Cu			
20	020	2	8	BKN	29.98	70	69	8	1000	Cu			
21	020	3	8	BKN	29.98	70	69	7	1000	Cu			
22	030	3	8	BKN	29.98	70	69	7	1000	Cu			
23	020	3	8	Sct	29.98	71	69	4	1000	Cu			
24	020	3	8	Sct	29.98	70	69	3	1000	Cu			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

0

REMARKS

00-04 moored starboard side to berth Sierra eighteen (18) off U.S. Naval Submarine Base, Pearl Harbor, Hawaii using standard mooring lines. Receiving telephone service, electricity and fresh water from the pier. Ships present include various units of the U.S. Pacific Fleet and various yard and district small craft. Material condition. Yoke modified is set. SOPA is Com C Pac 2 Lt.

Am Turner Encl 11/28/63

04-08 moored as before 0745 mustered crew on stations absentees none.

Am Turner Encl 11/28/63

APPROVED:

EXAMINED:

CC Reed Lt.

U.S.N. COMMANDING

RD Masen, Ltjg

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

Abnaki (ATF-96)

SATURDAY 28 Dec 63
(Day) (Date) (Month)

08-12 MOORED AS before.

RST/asm, Sjt, USNR

12-16 MOORED AS before

RST/asm, Sjt, USNR

16-20 MOORED AS before. 1800 SET MATERIAL CONDITION
YOLCS (Modified)RST/asm
Sjt, USNR

20-24 MOORED AS before

RST/asm
Sjt, USNR

APPROVED:

C. C. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

RST/asm, Sjt

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY

NAVY-DPPO-12ND-M1

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE SUNDAY 29 DECEMBER 19 63
(Day) (Date) (Month)
AT/PASSAGE FROM Pearl Harbor TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	020	1	10	CLR	29.98	70	69	—	—	—			
02	020	1	10	CLR	29.98	70	69	—	—	—			
03	020	1	10	CLR	30.00	70	70	—	—	—			
04	030	1	10	CLR	30.00	74	71	—	—	—			
05	040	1	10	SCT	30.00	74	71	4	1500	Cu			
06	040	1	10	SCT	30.00	76	72	4	1600	Cu			
07	050	2	10	SCT	30.00	76	72	4	1600	Cu			
08	050	2	10	SCT	29.98	78	73	4	1600	Cu			
09	060	2	10	SCT	29.97	80	73	4	1600	Cu			
10	060	2	10	SCT	29.97	83	74	5	1600	Cu			
11	060	4	10	SCT	29.97	84	74	5	1600	Cu			
12	060	4	10	SCT	29.96	87	75	5	1600	Cu			
13	060	4	10	SCT	29.94	85	76	4	1600	Cu			
14	060	5	10	SCT	29.92	84	77	4	1600	Cu			
15	060	5	10	SCT	29.91	80	77	4	1600	Cu			
16	050	5	10	SCT	29.93	78	77	4	1600	Cu			
17	050	4	10	SCT	29.94	78	76	4	1600	Cu			
18	050	3	10	SCT	29.96	78	75	4	1600	Cu			
19	050	3	10	SCT	29.97	76	75	4	1600	Cu			
20	070	3	10	SCT	29.98	76	74	4	1600	Cu			
21	070	2	10	SCT	29.98	77	73	4	1600	Cu			
22	080	2	10	SCT	29.98	77	74	4	1600	Cu			
23	060	2	10	SCT	29.99	78	74	4	1600	Cu			
24	060	2	10	SCT	29.99	78	75	4	1600	Cu			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

0

REMARKS

00-04 MOORED STARBOARD side to berth SPERRA 18, U.S. NAVAL Submarine Base, Pearl Harbor, Hawaii with STANDARD MOORING lines doubled. Receiving electrical, fresh water and telephone services from the pier. MATERIAL CONDITION Yoke (Modified) is SET. Ships PRESENT include various of units of the U.S. Pacific YARD and DISTRICT CRAFT. SOPA is CIRCRAFT.

DS Mason, Sg, USNR

04-08 MOORED AS before. 0745 MUSTERED THE CREW ON STATIONS. ABSENTEES NONE.

DS Mason, Sg

APPROVED:

EXAMINED:

CC Reed Lt.

U.S.N. COMMANDING

DS Mason, Sg

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNARI (ATF 96)SUNDAY 29 DECEMBER, 1963
(Day) (Date) (Month)

~~08-12 MOORED AS BEFORE. 0800 ZARA, ALFONSO T, 381 65 99~~
~~ENCS DEPARTED SHIP TO US NAVAL RECEIVING STATION T.I,~~
~~SAN FRANCISCO, CALIFORNIA FOR SEPARATION. 0810 MADE DAILY~~
~~INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES.~~
~~CONDITIONS: NORMAL.~~

C. P. McKemie, En, U.S.N.

12-16 MOORED AS BEFORE.

C. P. McKemie, En, U.S.N.

16-20 MOORED AS BEFORE. 1802 SET CONDITION YOKE MODIFIED

C. P. McKemie, En, U.S.N.

20-24 MOORED AS BEFORE.

C. P. McKemie, En, U.S.N.

APPROVED:

C. Brad Lt.

U.S.N. COMMANDING

EXAMINED:

R. Mason, Ltjg

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPG-12ND-M1

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAR ATF 96 ZONE DESCRIPTION +10W DATE MONDAY 30 DECEMBER, 19 63
(Day) (Date) (Month)
AT/PASSAGE FROM Pearl Harbor, Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	050	2	10	CLR	29.97	78	75	—	—	—			
02	050	2	10	CLR	29.98	78	75	—	—	—			
03	050	1	10	CLR	29.97	77	75	—	—	—			
04	060	1	10	CLR	29.97	76	75	—	—	—			
05	060	1	10	CLR	29.98	75	75	—	—	—			
06	060	1	10	CLR	29.97	76	75	—	—	—			
07	050	1	10	SCT	30.00	77	76	1	1600	Cu			
08	050	1	10	SCT	30.00	78	76	1	1600	Cu			
09	040	1	10	SCT	30.01	79	77	3	2000	Cu			
10	040	1	10	SCT	30.02	81	77	3	3000	Cu			
11	040	1	10	SCT	30.03	83	78	3	3000	Cu			
12	065	1	10	SCT	30.02	85	78	4	3000	Cu			
13	060	1	10	SCT	30.03	87	79	5	4000	Cu			
14	065	2	10	SCT	30.04	86	79	4	2000	Cu			
15	070	2	10	SCT	30.05	86	80	3	1800	Cu			
16	075	1	10	SCT	30.03	85	80	2	1600	Cu			
17	060	1	10	CLR	30.02	83	80	1	1000	Cu			
18	060	1	10	CLR	30.00	80	80	—	—	—			
19	050	1	10	CLR	29.99	79	78	—	—	—			
20	054	1	10	CLR	29.98	78	77	—	—	—			
21	055	1	10	CLR	29.98	78	76	—	—	—			
22	060	1	10	CLR	29.99	78	75	—	—	—			
23	060	1	10	CLR	29.97	78	75	—	—	—			
24	060	1	10	CLR	29.97	78	75	—	—	—			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L <u>20-12.6°</u>	BY <u>3</u>	
λ <u>157-58.5°</u>	BY <u>3</u>	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400

41

FUEL CONSUMED
0000-2400

500

REMARKS

00-04 MOORED STARBOARD SIDE TO IN BERTH SIERRA EIGHTEEN (S-18) WITH STANDARD MOORING LINES DOUBLED US NAVAL BASE SUBMARINE BASE, PEARL HARBOR HAWAII. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. MATERIAL CONDITION YOKO IS SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, DISTRICT AND YARD CRAFT. SOPA IS CINCPACFLT.

C.P. McKenzie, En, USNR

08 04-08 MOORED AS BEFORE. 0720 MUSTERED THE CREW ON STATIONS: ABSENTEES: NONE. 0745 SET THE SPECIAL SEA AND ANCHOR DETAIL. 0759 COMPLETED ALL PREPARATIONS FOR GETTING UNDERWAY.

C.P. McKenzie, En, USNR

APPROVED:

C. C. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

R. S. Noan, J. J.

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

ABNAKI (ATF-96)

Monday 30 December 63
(Day) (Date) (Month)

08-12 moored as before. MOORED AS BEFORE DRAFT: FORWARD 14' AFT 16' 10" PM
0819 UNDERWAY FOR LOCAL OP AREA IN COMPLIANCE WITH COMFLTRAGRU OP-ORDER 1-64.
MANEUVERING TO CLEAR THE ^{PIER} HARBOR. CAPTAIN AND NAVIGATOR ON THE BRIDGE, OOD HAS THE CONN. IN
STEERING VARIOUS COURSES AT VARIOUS SPEEDS STANDING OUT OF PEARL HARBOR. 0906
SECURED THE SEA DETAIL WITH THE EXCEPTION OF THE ANCHOR DETAIL 0907 PASSED BOUY #5
ABEAM TO STBD. 0915 PASSED BOUY #1 ABEAM TO STBD. 0952 STEADY ON 270°
AT 10 KTS. 0959 COMMENCED Z-4-0 WITH USS CHA CHIPOLA (AO 63) MANEUVERING ON
ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE ASSISTING USS CHIPOLA WITH
Z-4-0. 1053 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER
SAMPLES. CONDITIONS: NORMAL. 1130 SECURED FROM Z-4-0 WITH USS CHIPOLA
(AO-63) 1136 C/L TO 090° C/S TO 6.7 KTS 1138 C/L TO 270.

C. P. McPoyie, Ensign, USN

12-16 underway as before. 1220 C/S 3.3 KTS. 1329 COMMENCED EXERCISE
Z-10-CC WITH USS CHIPOLA (AO-63) STEERING VARIOUS COURSES & SPEEDS
TO CONFORM TO EXERCISE REQUIREMENTS. 1329 COMPLETED SERVICE FOR
EXERCISE Z-10-CC. ON COURSE OOD SPEED 11 KTS. 1338 C/S 3.3 KTS. 1342 C/L 250°
1345 C/L OOD, C/S 9.5 KTS. 1400 SET THE SPECIAL SEA ANCHOR
DETAIL, MADE PREPARATIONS TO INTERVIEW PORT. 1404 ENTERED INLAND WATERS
1405 C/L 334° COMMENCED STEERING BASE COURSE 333° SPEED 10 KTS. WHILE
ENTERING THE CHANNEL TO PEARL HARBOR HAWAII. 1420 COMMENCED
APPROACH TO BIRTH ALFA 6 PEARL HARBOR. STEERING VARIOUS COURSES
& SPEEDS. 1432 MOORED STARBOARD SIDE TO BIRTH ALFA 6 U.S.
NAVAL STATION, PEARL HARBOR, HAWAII. 1440 SECURED THE SPECIAL SEA
SEA AND ANCHOR DETAIL. SET THE REGULAR INPORT WATCH.

J. D. Hollis. CW2, USN

16-20 - moored as before. 1800 SET MATERIAL CONDITION YOKE (MODIFIED)
1815 MUSTERED THE INPORT DUTY FIRE PARTY, ABSENTING: NONE

J. D. Hollis. CW2, USN

20-24 moored as before:

J. D. Hollis. CW2, USN

APPROVED:

EXAMINED:

C. C. Reed Lt.

U.S.N. COMMANDING

R. S. Mason, Ltjg

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-MI

OFFICIAL USE ONLY

NAVY PERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNARI (DTF-96) ZONE DESCRIPTION 1-10-W DATE Tuesday 31 December, 1963
(Day) (Date) (Month)
AT/PASSAGE FROM Pearl Harbor, Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	060	4	10	CLR	29.97	79	78	—	—	—			
02	060	3	10	CLR	29.98	80	78	—	—	—			
03	060	3	10	CLR	29.98	80	78	—	—	—			
04	060	3	10	CLR	29.99	80	79	—	—	—			
05	050	2	10	CLR	29.99	81	79	—	—	—			
06	045	2	10	CLR	30.00	81	79	—	—	—			
07	045	2	10	CLR	30.00	82	80	—	—	—			
08	045	2	10	SCT	30.01	84	80	—	—	—			
09	060	2	10	SCT	30.00	86	81	—	—	—			
10	060	3	10	CLR	30.00	86	81	—	—	—			
11	070	3	10	SCT	29.99	87	80	1	1600	Cu			
12	070	3	10	SCT	29.98	86	80	2	1600	Cu			
13	065	2	10	SCT	29.99	85	79	2	1600	Cu			
14	065	2	10	SCT	29.98	83	79	2	1600	ci			
15	060	2	10	SCT	29.97	80	79	2	1600	ci			
16	045	2	10	SCT	29.96	79	78	4	1600	Cu			
17	040	2	10	SCT	29.97	79	77	4	1600	Cu			
18	040	2	10	SCT	29.97	79	76	4	1600	Cu			
19	060	2	10	SCT	29.97	79	76	4	1600	Cu			
20	060	2	10	SCT	29.96	79	77	4	1600	Cu			
21	050	2	10	SCT	29.97	79	77	5	1600	Cu			
22	045	2	10	SCT	29.99	79	77	5	1600	Cu			
23	045	2	10	SCT	29.98	78	78	4	1600	Cu			
24	045	2	10	SCT	29.98	78	76	4	1600	Cu			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L <u>20-12.6</u>	BY <u>3</u>	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400
<u>100</u>

REMARKS

00-04 moored starboard side to berth alpha 6, U.S. Naval Station, Pearl Harbor, Hawaii with standard mooring lines doubled. Snatch, condition yoke (modified) set, receiving potable water and telephone service from the pier. Ships present include various units of the U.S. Pacific Fleet, district and small craft. S.O. P.D. is CinCPacFLT.

J.L. Hollis CWO-2, USN

04-08 moored as before. 0730 mustered the crew at Quarters, absences: none.

J.L. Hollis, CWO-2, USN

APPROVED:

C. C. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

R. S. Mason, Ltjg

U.S.N. NAVIGATOR